



## GOOD LABORATORY PRACTICE (GLP) PROGRAM

### AREAS OF RECOGNITION

Recognized Facility No. 759

**Legal Name of Recognized Facility:** WAX-IT HISTOLOGY SERVICES INC.

Contact Name: Aruna Somasiri  
 Address: Gerald McGavin Building  
 202-2386 East Mall  
 Vancouver, BC  
 V6T 1Z3  
 Telephone: 778 227 3417  
 Fax: 604 822 0660  
 Website: [www.waxitinc.com](http://www.waxitinc.com)  
 Email: [asomasiri@waxitinc.com](mailto:asomasiri@waxitinc.com)

**Test sites include:** Gerald McGavin Building, 202-2386 East Mall Vancouver, BC V6T 1Z3

<b>SCC File Number:</b>	15918
<b>Recognition Criteria:</b>	Complies with requirements of the OECD Principles of Good Laboratory Practice (GLP), 1998.
<b>Initial Recognition</b>	2012-09-28
<b>Most recent Recognition</b>	2020-10-09
<b>Recognition Valid to:</b>	2024-09-28
<b>Type of Facility</b>	<ul style="list-style-type: none"> <li>• Test Site</li> </ul>
<b>Fields of Compliance:</b>	<ul style="list-style-type: none"> <li>• Pharmaceutical products</li> </ul>
<b>Areas of Expertise:</b>	Other studies, Histopathology



**Standards Council of Canada**  
**Conseil canadien des normes**

This document forms part of the Certificate of Recognition issued by the Standards Council of Canada (SCC). The original version is available in the Directory of Accredited Bodies on the SCC website at [www.scc.ca](http://www.scc.ca).

---

Elias Rafoul  
Vice-President, Accreditation Services  
Publication on: 2020-10-21