

TESTING AND CALIBRATION LABORATORY ACCREDITATION PROGRAM (LAP)

Scope of Accreditation

| Legal Name of Accredited Laboratory: GROUP | 'E CTT INC. / CTT GROUP IN(|
|--|-----------------------------|
|--|-----------------------------|

Contact Name: Liette Courchesne

Address: 3000 rue Boullé, St-Hyacinthe, Quebec, J2S

1H9

Telephone: 450-778-1870

Fax: 450-778-3901

Website: http://www.gcttg.com/en

Email: lcourchesne@gcttg.com

| SCC File Number: | 15056 |
|----------------------------|--|
| Provider: | BNQ-EL |
| Provider File Number: | 26950-1 |
| Accreditation Standard(s): | ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories |
| Fields of Testing: | Chemical/Physical Mechanical/Physical Thermal & Fire Resistance |
| Initial Accreditation: | 1987-08-13 |
| Most Recent Accreditation: | 2022-10-06 |
| Accreditation Valid to: | 2027-08-13 |

Remarque: La présente portée d'accréditation existe également en français, sous la forme d'un document distinct.

Note: This scope of accreditation is also available in French as a separately issued document.





ANIMAL AND PLANTS (AGRICULTURE)

Animal and Fishery Products (except food):

Leathers

ASTM D2212 Standard Test Method for Slit Tear Resistance of Leather

Soils

ASTM D3080 Standard Test Method for Direct Shear Test of Soils Under Consolidated

Drained Conditions

CONSTRUCTION

(Geosynthetics)

| ASTM D1203 | Test Method for Volatile Loss from Plastic Film Using activated Carbon |
|------------|---|
| ASTM D1593 | Specification for Nonrigid Vinyl Chloride Plastic Sheeting (thickness) |
| ASTM D4218 | Standard Test Method for Determination of Carbon Black Content in Polyethylene Compounds By the Muffle-Furnace Technique |
| ASTM D4355 | Standard Test Method for Deterioration of Geotextiles from Exposure to Ultraviolet Light and Water (Xenon-Arc Type Apparatus) |
| ASTM D4491 | Standard Test Method for Water Permeability of Geotextiles by Permittivity |
| ASTM D4533 | Standard Test Method for Trapezoid Tearing Strength of Geotextiles |
| ASTM D4595 | Standard Test Method for Tensile Properties of Geotextiles by the Wide-Width Strip Method |
| ASTM D4632 | Standard Test Method for Grab Breaking Load and Elongation of Geotextiles |
| ASTM D4716 | Test Method for Determining the (In-plane) Floe Rate per Unit Width and Hydraulic Transmissivity of a Geosynthetic Using a Constant Head |
| ASTM D4751 | Standard Test Method for Determining Apparent Opening Size of a Geotextile |
| ASTM D4833 | Standard Test Method for Index Puncture Resistance of Geotextiles, Geomembranes and Related Products |
| ASTM D4884 | Standard Test Method for Strength of Sewn or Thermally Bonded Seams of Geotextiles |
| ASTM D4885 | Standard Test Method for Determining Performance Strength of Geomembranes by the Wide Strip Tensile Method |
| ASTM D5084 | Standard Test Methods for Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter |
| ASTM D5101 | Standard Test Method for Measuring the Soil-Geotextile System Clogging Potential by the Gradient Ratio |
| ASTM D5199 | Standard Test Method for Measuring the Nominal Thickness of Geosynthetics |
| ASTM D5261 | Standard Test Method for Measuring Mass per Unit Area of Geotextiles |
| ASTM D5321 | Standard Test Method for Determining the Coefficient of Soil and Geosynthetic or Geosynthetic and Geosynthetic Friction by the Direct Shear Method. Only for: Procedure A and B |





| ASTM D5322 | Standard Practice for Immersion Procedures for Evaluating the Chemical Resistance of Geosynthetics to Liquids |
|------------|---|
| ASTM D5397 | Standard Test Method for Evaluation of Stress Crack Resistance of Polyolefin Geomembranes Using Notched Constant Tensile Load Test |
| ASTM D5493 | Standard Test Method for Permittivity of Geotextiles Under Load |
| ASTM D5514 | Standard Test Method for Large Scale Hydrostatic Puncture Testing of |
| | Geosynthetics |
| ASTM D5596 | Standard Test Method for Microscopic Evaluation of the Dispersion of Carbon Black in Polyolefin Geosynthetics |
| ASTM D5617 | Standard Test Method for Multi-Axial Tension Test for Geosynthetics |
| ASTM D5721 | Standard Practice for Air-Oven Aging of Polyolefin Geomembranes |
| ASTM D5747 | Standard Practice for Tests to Evaluate the Chemical Resistance of Geomembranes to Liquids |
| ASTM D5884 | Standard Test Method for Determining Tearing Strength of Internally Reinforced Geomembranes |
| ASTM D5885 | Standard Test Method for Oxidative Induction Time of Polyolefin Geosynthetics by High-Pressure Differential Scanning Calorimetry |
| ASTM D5887 | Standard Test Method for Measurement of Index Flux Through Saturated Geosynthetic Clay Liner Specimens Using a Flexible Wall Permeameter |
| ASTM D5890 | Standard Test Method for Swell Index of Clay Mineral Component of Geosynthetic Clay Liners |
| ASTM D5891 | Standard Test Method for Fluid Loss of Clay Component of Geosynthetic Clay Liners |
| ASTM D5993 | Standard Test Method for Measuring Mass per Unit of Geosynthetic Clay Liners |
| ASTM D5994 | Standard Practice for Measuring Core Thickness of Textured Geomembrane |
| ASTM D6140 | Standard Test Method to Determine Asphalt Retention of Paving Fabrics Used in Asphalt Paving for Full-Width Applications |
| ASTM D6241 | Standard Test Method for the Static Puncture Strength of Geotextiles and Geotextile-Related Products Using a 50-mm Probe |
| ASTM D6243 | Standard Test Method for Determining the Internal and Interface Shear Resistance of Geosynthetic Clay Liner by the Direct Shear Method |
| ASTM D6364 | Standard Test Method for Determining the Short-Term Compression Behavior of Geosynthetics |
| ASTM D6392 | Standard Test Method for Determining the Integrity of Nonreinforced Geomembrane Seams Produced Using Thermo-Fusion Methods |
| ASTM D6496 | Standard Test Method for Determining Average Bonding Peel Strength Between the Top and Bottom Layers of Needle-Punched Geosynthetic Clay Liners |
| ASTM D6567 | Standard Test Method for Measuring the Light Penetration of a Turf Reinforcement Mat (TRM) |
| ASTM D6574 | Test Method for Determining the (In-Plane) Hydraulic Transmissivity of a Geosynthetic by Radial Flow |
| ASTM D6637 | Standard Test Method for Determining Tensile Properties of Geogrids by the Single or Multi-Rib Tensile Method |
| ASTM D6693 | Standard Test Method for Determining Tensile Properties of Nonreinforced Polyethylene and Nonreinforced Flexible Polypropylene Geomembranes |
| ASTM D6707 | Standard Specification for Circular-Knit Geotextile for Use in Subsurface Drainage Applications |





| Test Method for Evaluation of Hydraulic Properties of Geosynthetic Clay Liners Permeated with potentially Incompatible Liquids |
|--|
| Standard Test Method for Tensile Strength of Geosynthetic Clay Liners |
| Standard Test Method for Accelerated Tensile Creep and Creep-Rupture of Geosynthetic Materials Based on Time-Temperature Superposition Using the Stepped Isothermal Method |
| Test Method for Strip Tensile Properties of Reinforced Geomembranes |
| Test Method for Grab Tensile Properties of Reinforced Geomembranes |
| Test Method for Determining the Bond Strength (Ply Adhesion) of Geocomposites |
| Standard Test Method for Determining the Tensile Shear Strength of Pre Fabricated Bituminous Geomembrane Seams |
| Determining Geonet Breaking Force |
| Standard Test Method for Effect of Exposure of Unreinforced Polyolefin Geomembrane Using Fluorescent UV Condensation Apparatus |
| Standard Test Method for Determining the Integrity of Seams Used in Joining Geomembranes by Pre-manufactured Taped Methods |
| Standard Test Method for Tensile Properties of Bituminous Geomembranes (BGM) |
| Standard Test Method for Accelerated Compressive Creep of Geosynthetic Materials Based on Time-Temperature Superposition Using the Stepped Isothermal Method |
| Standard Test Method for Measuring the Asperity Height of Textured Geomembrane |
| Standard Test Method for Individual Geogrid Junction Strength |
| Standard Test Method for Determining Integrity of Seams Produced Using Thermo-Fusion Methods for Reinforced Geomembranes by the Strip Tensile Method |
| Standard Test Method for Flexural Rigidity of Geogrids, Geotextiles and Related Products |
| Standard Test Method for Determining Integrity of Seams Produced Using Thermo-Fusion Methods for Reinforced Geomembranes by the Grab Method |
| Standard Test Methods for Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover |
| Tuyaux et raccords en polyéthylène (PE) -Tuyaux annelés flexibles pour le drainage - Caractéristiques et méthodes d'essais |
| Géotextiles utilisés en génie routier – Classification, caractéristiques et méthodes d'essai |
| Geotextiles - Filtration Opening Size |
| Mass per Unit Area (geotextiles and geomembranes) |
| Thickness of Geotextiles |
| Geotextiles - Normal Water Permeability Under No Compressive Load |
| Grab Tensile Test for Geotextiles |
| Geotextiles and Geotextiles-Related Products-General Tests for Evaluation Following Durability Testing |
| Geotextiles and geotextile-related products - Screening test method for determining the resistance to hydrolysis in water |
| Géotextiles et produits apparentés - Détermination de la résistance à la pénétration d'eau (essai sous pression hydrostatique) |
| |





| EN 14030 | Geotextiles and geotextile-related products - Screening test method for determining the resistance to acid and alkaline liquids |
|--------------|--|
| EN 14575 | Geosynthetic barriers - Screening test method for determining the resistance to oxidation |
| EN 14576 | Geosynthetics-Test methods for determining the resistance of polymeric geosynthetic barriers to environmental stress cracking |
| EN 964-1 | Geotextiles and geotextile-related products: Determination of thickness at specified pressures Part 1: Single layers (A-2 kPa) |
| EN 965 | Geotextiles and geotextile-related products – Determination of mass per unit area |
| EN ISO 13433 | Geosynthetics - Dynamic perforation test (cone drop test) |
| EN ISO 13438 | Geotextiles and geotextile-related products - Screening test method for determining the resistance to oxidation |
| ISO 10319 | Geotextiles - Wide-width tensile test (as per NF EN ISO 10319) |
| ISO 10321 | Geotextiles - Tensile test for joints/seams by wide-width method (as per NF EN ISO 10321) |
| ISO 11058 | Geotextiles and geotextile-related products Determination of water permeability characteristics normal to the plane, without load |
| ISO 12236 | Geotextiles and geotextile-related products - Static puncture test (CBR test) (as per NF EN ISO 12236) |
| ISO 12956 | Geotextiles and geotextile-related products - Determination of the characteristic opening size (as per NF EN ISO 12956) |
| ISO 12958 | Geotextiles and geotextile-related products Determination of water flow capacity in their plane |
| ISO 13433 | Geosynthetics - Dynamic perforation test (cone drop test) |
| ISO 13438 | Geotextiles and geotextile-related products - Screening test method for determining the resistance to oxidation |
| ISO 9863 | Geotextiles Determination of thickness at specified pressures |
| ISO 9863-1 | Geosynthetics-Determination of thickness at specified pressures-Part 1: Single layers |
| ISO 9864 | Geotextiles Determination of mass per unit area |
| NF G38-019 | Textiles - Articles à usages industriels - Essais des géotextiles - Détermination de la résistance au poinçonnement |
| NF P84-507 | Essais des géomembranes - Détermination de la résistance au poinçonnement statique des géomembranes et des dispositifs d'étanchéité par géomembranes - Cas du poinçon cylindrique sans support |

Construction Materials (excluding textile products):

Floor Coverings (See also FIBRE, METAL, ELAS and WOOD Sections)

ASTM D5793 Standard Test Method for Binding Sites Per Unit Length or Width of Pile Yarn

Floor Coverings

ASTM E661 Standard Test Method for Performance of Wood and Wood-Based Floor and

Roof Sheathing Under Concentrated Static and Impact Loads - Section:

Strength of Single-Layer Floor Sheathing

Except for: Impact Load





ASTM F1914 Standard Test Methods for Short-Term Indentation and Residual Indentation

of Resilient Floor Covering

ASTM F970 Standard Test Method for Measuring Recovery Properties of Floor Coverings

after Static Loading

Insulating Materials

ASTM C1258 Standard Test Method for Elevated Temperature and Humidity Resistance

of Vapor Retarders for Insulation

ASTM C203 Standard Test Method for Breaking Load and Flexural Properties of Block-

Type Thermal Insulation

ASTM D3574 Standard Test Methods for Flexible Cellular Materials-Slab, Bonded, and

Molded Urethane Foams(«Test B» and «Test E» only)

CAN/ULC S704.1 Standard for Thermal Insulation, Polyurethane and Polyisocyanurate

Boards, Faced (Only for: Dimensions, Water Vapor Permeance,

Dimensional Stability, Water Absorption, Flexural Strength, Compressive

and Tensile Strength)

CAN/ULC S706.1 Standard for Wood Fibre Insulating Boards for Buildings

Except for: Air permeance, Surface burning, Thermal resistance

Miscellaneous Construction Materials

ASTM C473 Standard Test Methods for Physical Testing of Gypsum Panel Products

Only for: Nail Pull Resistance-Method B

ASTM D3330 Standard Test Method for Peel-Adhesion of Pressure-Sensitive Tape

ASTM D3359 Standard Test Methods for Rating Adhesion by Tape Test

PSTC 101 Peel Adhesion of Pressure Sensitive Tap
PSTC 107 Shear Adhesion of Pressure Sensitive Tape
PSTC 5 Quick Stick of Pressure Sensitive Tape

Roof Coverings

ASTM C1185 Standard Test Methods for Sampling and Testing Non-Asbestos Fiber-

Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards (Only for: Flexural Strength, Density, Moisture Movement, Water Absorption, Water

Tightness and Warm Water Resistance)

ASTM D146/D146M Standard Test Methods for Sampling and Testing Bitumen-Saturated Felts

and Woven Fabrics for Roofing and Waterproofing

Only for: Appearance and Dimensions of Rolls, Strength, Pliability, Loss on

Heating

ASTM D1970 Standard Specification for Self-Adhering Polymer Modified Bituminous

Sheet Materials Used as Steep Roofing Underlayment for Ice Dam

Protection

ASTM D4073 Test Method for Tensile-Tear Strength of Bituminous Roofing Membranes

ASTM D4434 Standard Specification for Poly(Vinyl Chloride) Sheet Roofing





| ASTM D4798 | Standard Practice for Accelerated Weathering Test Conditions and |
|------------|--|
|------------|--|

Procedures for Bituminous Materials (Xenon-Arc Method)

ASTM D4869 Standard Specification for Asphalt-Saturated Organic Felt Underlayment

Used in Steep Slope Roofing

Except for: Bituminous Saturant

ASTM D5147 Standard Test Methods for Sampling and Testing Modified Bituminous

Sheet Material

ASTM D5323 Standard Practice for Determination of 2 % Secant Modulus for Polyethylene

Geomembranes

ASTM D5602 Standard Test Method for Static Puncture Resistance of Roofing Membrane

Specimens

ASTM D5635 Standard Test Method for Dynamic Puncture Resistance of Roofing

Membrane Specimens

ASTM D6162 Standard Specification for Styrene Butadiene Styrene (SBS) Modified

Bituminous Sheet Materials Using a Combination of Polyester and Glass

Fiber Reinforcements

ASTM D6163 Standard Specification for Styrene Butadiene Styrene (SBS) Modified

Bituminous Sheet Materials Using Glass Fiber Reinforcements

CAN/CGSB 37.54 Roofing and Waterproofing Membrane, Sheet Applied, Flexible, Polyvinyl

Chloride

CAN/CGSB 37.58 Membrane, Elastomeric, Cold-Applied Liquid, for Non-Exposed Use in

Roofing and Waterproofing

CAN/CGSB 37-GP-52M Roofing and Waterproofing Membrane, Sheet Applied, Elastomeric

CAN/CGSB 37-GP-56M Membrane, Modified, Bituminous, Prefabricated, and Reinforced for Roofing

CSA A123.3 Asphalt Saturated Organic Roofing Felt

Only for: Pliability, Resistance to liquid transmission

CSA A220.1 Installation of concrete roof tiles, (Section: Underlayment Materials)
EN 12311-1 Flexible sheets for waterproofing - Part 1: Bitumen sheets for roof

waterproofing - Determination of tensile properties

ICC-ES AC148 Acceptance Criteria For Flexible Flashing Materials

ICC-ES AC188 Acceptance Criteria For Roof Underlayments

ICC-ES AC207 Acceptance Criteria For Polypropylene Roof Underlayments

ICC-ES AC39 Acceptance Criteria For Walking Decks

ICC-ES AC48 Acceptance Criteria For Roof Underlayment for Use in Severe Climate

Areas

Vapour Barriers, Water Proofing Membranes

ASTM C794 Standard Test Method for Adhesion-in-Peel of Elastomeric Joint Sealants

ASTM C836 Standard Specification for High Solids Content, Cold Liquid-Applied

Elastomeric Waterproofing Membrane for Use with Separate Wearing

Course

ASTM D4226 Standard Test Methods for Impact Resistance of Rigid Poly(Vinyl Chloride)

(PVC) Building Products

ASTM D5385 Standard Test Method for Hydrostatic Pressure Resistance of

Waterproofing Membranes





| ASTM D779 | Standard Test Method for Water Resistance of Paper, Paperboard, and Other Sheet Materials by the Dry Indicator Method |
|----------------|--|
| CAN/CGSB-37.50 | Hot-applied, Rubberized Asphalt for Roofing and Waterproofing Except for: Heat Stability, Toughness and Viscosity Test |
| CAN/CGSB-51.33 | Vapour Barrier Sheet, excluding Polyethylene, for Use in Building Construction |
| CAN/CGSB-51.34 | Pare-vapeur en feuille de polyéthylène pour bâtiments |
| CAN2-51.32 | Sheathing Membrane, Breather Type |
| ICC-ES AC243 | Acceptance Criteria For Composite Foundation Drainage Systems |
| ICC-ES AC279 | Acceptance Criteria for Vinyl-Lined Residential Swimming Pools |
| ICC-ES AC29 | Acceptance Criteria For Cold, Liquid-Applied, Below-Grade, Exterior Dampproofing And Waterproofing Materials |
| ICC-ES AC38 | Acceptance Criteria for Water-Resistive Barriers - Polymeric-Based Barriers |
| | |

ICC-ES Evaluation Guideline Evaluation Guideline for rigid polyethylene, below grade, dampproofing and

wall waterproofing material.

(Geosynthetics)

EG 114

See also tests listed in section ELASTOMERS AND PROTECTIVE AND COATINGS, sub-section Plastics, Resins & Rubbers and section TEXTILES & FIBROUS MATERIALS

ELASTOMERS AND PROTECTIVE AND COATINGS

(Composites)

| ASTM C297 | Standard Test Method for Flatwise Tensile Strength of Sandwich Constructions |
|------------|--|
| ASTM C365 | Standard Test Method for Flatwise Compressive Properties of Sandwich Cores |
| ASTM C393 | Standard Test Method for Core Shear Properties of Sandwich Constructions by Beam Flexure |
| ASTM D1781 | Standard Test Method for Climbing Drum Peel for Adhesives |
| ASTM D3171 | Standard Test Methods for Constituent Content of Composite Materials (sauf pour: procédure H) |
| ASTM D3518 | Standard Test Method for In-Plane Shear Response of Polymer Matrix Composite Materials by Tensile Test of a ±45° Laminate |
| ASTM D4541 | Standard Test Method for Pull-Off Strength of Coatings Using Portable Adhesion Testers |
| ASTM D5083 | Standard Test Method for Tensile Properties of Reinforced Thermosetting Plastics Using Straight-Sided Specimens |
| ASTM D5961 | Standard Test Method for Bearing Response of Polymer Matrix Composite Laminates |
| ASTM D7028 | Standard Test Method for Glass Transition Temperature (DMA Tg) of Polymer Matrix Composites by Dynamic Mechanical Analysis (DMA) |





ASTM D7078/D7078M Standard Test Method for Shear Properties of Composite Materials by V-

Notched Rail Shear Method

ASTM D7136/D7136M Standard Test Method for Measuring the Damage Resistance of a Fiber-

Reinforced Polymer Matrix Composite to a Drop-Weight Impact Event

ASTM D7264/D7264M Standard Test Method for Flexural Properties of Polymer Matrix Composite

Materials

ASTM D7332 Standard Test Method for Measuring the Fastener Pull-Through Resistance

of a Fiber-Reinforced Polymer Matrix Composite (Proc. B)

Plastics, Resins and Rubbers:

Plastics

| ASTM D1002 | Standard Test Method for Apparent Shear Strength of Single-Lap-Joint Adhesively Bonded Metal Specimens by Tension Loading (Metal-to-Metal) |
|------------|--|
| ASTM D1003 | Standard Test Method for Haze and Luminous Transmittance of Transparent Plastics |
| ASTM D1004 | Standard Test Method for Initial Tear Resistance of Plastic Film and Sheeting |
| ASTM D1042 | Standard Test Method for Linear Dimensional Changes of Plastics Under Accelerated Service Conditions |
| ASTM D1044 | Standard Test Method for Resistance of Transparent Plastics to Surface Abrasion |
| ASTM D1204 | Standard Test Method for Linear Dimensional Changes of Nonrigid Thermoplastic Sheeting or Film at Elevated Temperature |
| ASTM D1238 | Standard Test Method for Melt Flow Rates of Thermoplastics by Extrusion Plastometer |
| ASTM D1239 | Standard Test Method for Resistance of Plastic Films to Extraction by Chemicals |
| ASTM D1603 | Standard Test Method for Carbon Black In Olefin Plastics |
| ASTM D1621 | Standard Test Method for Compressive Properties Of Rigid Cellular Plastics |
| ASTM D1623 | Standard Test Method for Tensile and Tensile Adhesion Properties of Rigid Cellular Plastics |
| ASTM D1693 | Standard Test Method for Environmental Stress-Cracking of Ethylene Plastics |
| ASTM D1709 | Standard Test Methods for Impact Resistance of Plastic Film by the Free-Falling Dart Method |
| ASTM D1784 | Standard Specification for Rigid Poly(Vinyl Chloride) (PVC) Compounds and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds |
| ASTM D1790 | Standard Test Method for Brittleness Temperature of Plastic Sheeting by Impact |
| ASTM D1894 | Standard Test Method for Static and Kinetic Coefficients of Friction of Film and Sheeting |
| ASTM D1922 | Standard Test Method for Propagation Tear Resistance of Plastic Film and Thin Sheeting by Pendulum Method |
| ASTM D1938 | Standard Test Method for Tear-Propagation Resistance of Plastic Film and Thin Sheeting by a Single-Tear Method |





| ASTM D2124 | Standard Test Method for Analysis of Components in Poly(Vinyl Chloride) |
|-------------|---|
| AOTW DZ IZT | Compounds Using and Infrared Spectrophotometric Technique |
| ASTM D2126 | Standard Test Method for Response of Rigid Cellular Plastics to Thermal and Humid Aging |
| ASTM D2241 | Standard Specification for Poly(Vinyl Chloride) (PVC) Pressure-Rated Pipe (SDR Series) Only for: Flattening |
| ASTM D2344 | Standard Test Method for Short-Beam Strength of Polymer Matrix Composite Materials and Their Laminates |
| ASTM D2412 | Standard Test Method for Determination of External Loading Characteristics of Plastic Pipe by Parallel-Plate Loading |
| ASTM D256 | Standard Test Methods for Determining the Izod Pendulum Impact Resistance of Plastics |
| ASTM D2565 | Standard Practice for Xenon-Arc Exposure of Plastics Intended for Outdoor Applications |
| ASTM D2582 | Standard Test Method for Puncture-Propagation Tear Resistance of Plastic Film and Thin Sheeting |
| ASTM D2584 | Standard Test Method for Ignition Loss of Cured Reinforced Resins |
| ASTM D2842 | Standard Test Method for Water Absorption of Rigid Cellular Plastics |
| ASTM D3039 | Standard Test Method for Tensile Properties of Polymer Matrix Composite |
| | Materials |
| ASTM D3045 | Standard Practice for Heat Aging of Plastics Without Load |
| ASTM D3163 | Standard Test Method for Determining Strength of Adhesively Bonded Rigid Plastic Lap-Shear Joints in Shear by Tension Loading |
| ASTM D3350 | Standard Specification for Polyethylene Plastics Pipe and Fittings Materials Except for: ASTM D1505, D2837, F1473, F2263, ISO 12162 |
| ASTM D3417 | Standard Test Method for Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry (DSC) |
| ASTM D3418 | Standard Test Method for Transition Temperatures of Polymers by Differential Scanning Calorimetry |
| ASTM D3575 | Standard Test Methods for Flexible Cellular Materials Made From Olefin Polymers |
| | Except for: Suffix: M, R2, V, CC |
| ASTM D3763 | Standard Test Method for High Speed Puncture Properties of Plastics Using Load and Displacement Sensors |
| ASTM D3846 | Standard Test Method for In-Plane Shear Strength of Reinforced Plastics |
| ASTM D3895 | Standard Test Method for Oxidative Induction Time of Polyolefins by Differential Scanning Calorimetry |
| ASTM D3985 | Standard Test Method for Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using a Coulometric Sensor |
| ASTM D4329 | Standard Practice for Fluorescent UV Exposure of Plastics |
| ASTM D4459 | Standard Practice for Xenon-Arc Exposure of Plastics Intended for Indoor Applications |
| ASTM D4703 | Standard Practice for Compression Molding Thermoplastic Materials into Test Specimens, Plaques, or Sheets |
| ASTM D5208 | Standard Practice for Fluorescent Ultraviolet (UV) Exposure of Photodegradable Plastics |





| ASTM D543 | Standard Practices for Evaluating the Resistance of Plastics to Chemical Reagents |
|------------|--|
| ASTM D5630 | Standard Test Method for Ash Content in Plastics |
| ASTM D570 | Standard Test Method for Water Absorption of Plastics |
| ASTM D5868 | Standard Test Method for Lap Shear Adhesion for Fiber Reinforced Plastic (FRP) Bonding |
| ASTM D5947 | Standard Test Methods for Physical Dimensions of Solid Plastics Specimens |
| ASTM D635 | Standard Test Method for Rate of Burning and/or Extent and Time of Burning of Plastics in a Horizontal Position |
| ASTM D638 | Standard Test Method for Tensile Properties of Plastics |
| ASTM D6641 | Compressive Properties of Polymer Matrix Composite Materials Using a Combined Loading Compression (CLC) Test Fixture |
| ASTM D695 | Standard Test Method for Compressive Properties of Rigid Plastics |
| ASTM D6988 | Standard Guide for Determination of Thickness of Plastic Film Test Specimens (Only for: Method A) |
| ASTM D7176 | Standard Specification for Non-Reinforced Polyvinyl Chloride (PVC) Geomembranes Used in Buried Applications |
| ASTM D7249 | Standard Test Method for Facing Properties of Sandwich Constructions by Long Beam Flexure |
| ASTM D746 | Standard Test Method for Brittleness Temperature of Plastics and Elastomers by Impact |
| ASTM D751 | Standard Test Methods for Coated Fabrics Only for: (Dimensions and Mass, Breaking, Bursting, Puncture, Tearing, Trapezoidal, Hydrostatic Resis. (A-1), Adhesion, Strength of coating, Low Temp. Bend test, Seam Strength, Acc. Heat Aging) |
| ASTM D790 | Standard Test Methods for Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials |
| ASTM D792 | Standard Test Methods for Density and Specific Gravity (Relative Density) of Plastics by Displacement |
| ASTM D828 | Tensile Properties of Paper and Paperboard Using Constant-Rate-of-Elongation Apparatus |
| ASTM D882 | Standard Test Method for Tensile Properties of Thin Plastic Sheeting |
| ASTM E1131 | Standard Test Method for Compositional Analysis by Thermogravimetry |
| ASTM E1252 | Standard Practice for General Techniques for Obtaining Infrared Spectra for Qualitative Analysis |
| ASTM E1269 | Standard Test Method for Determining Specific Hear Capacity by Differential Scanning Calorimetry |
| ASTM E1356 | Standard Test Method for Assignment of the Glass Transition Temperatures by Differential Scanning Calorimetry or Differential Thermal Analysis |
| ASTM E2550 | Standard Test Method for Thermal Stability by Thermogravimetry |
| ASTM E2602 | Standard Test Methods for the Assignment of the Glass Transition Temperature by Modulated Temperature Differential Scanning Calorimetry |
| ASTM E308 | Standard Practice for Computing the Colors of Objects by Using the CIE System |
| ASTM E424 | Standard Test Methods for Solar Energy Transmittance and Reflectance (Terrestrial) of Sheet Materials |
| ASTM E793 | Standard Test Method for Enthalpies of Fusion and Crystallization by Differential Scanning Calorimetry |





| ASTM E794 | Standard Test Method for Melting and Crystallization Temperatures by Thermal Analysis |
|-------------|---|
| ASTM E831 | Standard Test Method for Linear Thermal Expansion of Solid Materials by Thermomechanical Analysis |
| ASTM E96 | Standard Test Methods for Water Vapor Transmission of Materials |
| ASTM F1249 | Standard Test Method for Water Vapor Transmission Rate Through Plastic Film and Sheeting Using a Modulated Infrared Sensor |
| ASTM F2136 | Standard Test Method for Notched, Constant Ligament-Stress (NCLS) Test to Determine Slow-Crack-Growth Resistance of HDPE Resins or HDPE Corrugated Pipe |
| ASTM F88 | Standard Test Method for Seal Strength of Flexible Barrier Materials |
| ASTM F904 | Standard Test Method for Comparison of Bond Strength or Ply Adhesion of Similar Laminates Made from Flexible Materials |
| ASTM G154 | Standard Practice for Operating Fluorescent Light Apparatus for UV Exposure of Nonmetallic Materials |
| ASTM G155 | Standard Practice for Operating Xenon-Arc Light Apparatus for Exposure of Non-Metallic Materials |
| ASTM G160 | Standard Practice for Evaluating Microbial Susceptibility of Nonmetallic Materials by Laboratory Soil Burial |
| ISO 1133 | Melt Flow Index |
| ISO 1133-1 | Plastics - Methods for determining the density of non-cellular plastics - Part 1: Immersion method, liquid pyknometer method and titration method |
| ISO 11357-6 | Plastics-Differential scanning calorimetry (DSC)-Part 6: Determination of oxidation induction time (isothermal OIT) and oxidation induction temperature (dynamic OIT) |
| ISO 1183 | Density |
| ISO 1183-1 | Plastiques-Méthodes de détermination de la masse volumique des plastiques non alvéolaires-Partie 1: Méthode par immersion, méthode du pycnomètre en milieu liquide et méthode par titrage |
| ISO 13953 | Tubes et raccords en polyéthylène (PE)-Détermination de la résistance en traction et du mode de rupture d'éprouvettes prélevées dans des assemblages par soudage bout à bout |
| ISO 1421 | Rubber-or plastics-coated fabrics-Determination of tensile strength and elongation at break |
| ISO 178 | Plastics-Determination of flexural properties |
| ISO 18553 | Method for assessment of the degree of pigment or carbon black dispersion in polyolefin pipes, fittings and compounds |
| ISO 293 | Plastiques-Moulage par compression des éprouvettes en matières thermoplastiques |
| ISO 4675 | Rubber- or plastics-coated fabrics – Low temperature bend test |
| ISO 4892-2 | Plastics - Methods of exposure to laboratory light sources - Part 2: Xenon-arc Lamps |
| ISO 527-1 | Plastics - Determination of tensile properties Part 1: General principles |
| ISO 527-3 | Plastics - Determination of tensile properties - Part 3: Test conditions for films and sheets |
| ISO 6964 | Polyolefin pipes and fittings-Determination of carbon black content by calcination and pyrolysis-Test method and basic specification |





ISO 7854 Rubber- or plastics-coated fabrics – Determination of resistance to damage by

flexing

Except for: Method A and C

UL 94 Tests for Flammability of Plastic Materials for Parts in Devices and Appliances -

Horizontal Burning Test: HB and Vertical Burning Test: VB

Resins and Rubbers

ASTM D2240 Standard Test Method for Rubber Property-Durometer Hardness (for

durometer of type A, Type D)

ASTM D297 (Density) Standard Test Methods for Rubber Products-Chemical Analysis - Density

ASTM D3677 Standard Test Methods for Rubber-Identification by Infrared

Spectrophotometry

ASTM D3767 Standard Practice for Rubber-Measurement of Dimensions
ASTM D395 Standard Test Methods for Rubber Property-Compression Set

ASTM D4060 Standard Test Method for Abrasion Resistance of Organic Coatings by the

Taber Abraser

ASTM D412 Standard Test Methods for Vulcanized Rubber and Thermoplastic Rubbers

and Thermoplastic Elastomers-Tension

ASTM D413 Standard Test Method for Rubber Property-Adhesion to Flexible Substrate

(Machine Method, Strip Type A)

ASTM D4591 Standard Test Method for Determining Temperatures and Heats of

Transitions of Fluoropolymers by Differential Scanning Calorimetry

ASTM D5028 Standard Test Method for Curing Properties of Pultrusion Resins by Thermal

Analysis

ASTM D522 Standard Test Methods for Mandrel Bend Test of Attached Organic Coatings

Only for: Test Method B

ASTM D523 Standard Test Method for Specular Gloss

ASTM D573 Standard Test Method for Rubber Deterioration in an Air Oven ASTM D575 Standard Test Methods for Rubber Properties in Compression

ASTM D624 Standard Test Method for Tear Strength of Conventional Vulcanized Rubber

and Thermoplastic Elastomers

ASTM D6862 Standard Test Method for 90 Degree Peel Resistance of Adhesives

ASTM D814 Standard Test Method for Rubber Property—Vapor Transmission of Volatile

Liquids

ASTM D903 Standard Test Method for Peel or Stripping Strength of Adhesive Bonds

ENVIRONMENTAL AND OCCUPATIONAL HEALTH AND SAFETY

Occupational Health and Safety:

Fire Protection

See tests listed in section "TEXTILES & FIBROUS MATERIALS"





MARKETPLACE PRODUCTS-CONSUMER AND BUSINESS

Furniture and Consumer Articles:

Hazardous Products

| ASTM E1613 | Standard Test Method for Determination of Lead by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES), Flame Atomic Absorption Spectrometry (FAAS), or Graphite Furnace Atomic Absorption Spectrometry (GFAAS) Techniques (As requested by «16 CFR Part 1303») |
|----------------------------------|--|
| AOAC Official Method 974.02 | "Lead in Paint - Atomic Absorption Spectrophotometric Method" ("Band of Lead-Containing Paint and Certain Consumer Products Bearing Lead-Containing Paint") (As requested by «16 CFR Part 1303») |
| ASTM E1645 | Standard Practice for Preparation of Dried Paint Samples by Hotplate or Microwave Digestion for Subsequent Lead Analysis (As requested by «16 CFR Part 1303») |
| CPSC-CH-C1001-09.3 | Standard Operating Procedure for Determination of Phthalates |
| CPSC-CH-C1001-09.4 | Standard Operating Procedure for Determination of Phthalates |
| CPSC-CH-E1001-08 | Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry |
| CPSC-CH-E1001-08.1 | Standard Operating Procedure for Determining Total Lead (Pb) in Metal Children's Products (including Children's Metal Jewelry) |
| CPSC-CH-E1001-08.2 | Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry) |
| CPSC-CH-E1001-08.3 | Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry) |
| CPSC-CH-E1002-08 | Standard Operating Procedure for Determining Total Lead (Pb) in Non-metal Children's Products |
| CPSC-CH-E1002-08.1 | Standard Operating Procedure for Determining Total Lead (Pb) in Non-Metal Children's Products |
| CPSC-CH-E1002-08.2 | Standard Operating Procedure for Determining Total Lead (Pb) in Nonmetal Children's Products |
| CPSC-CH-E1002-08.3 | Standard Operating Procedure for Determining Total Lead (Pb) in Nonmetal Children's Products |
| CPSC-CH-E1003-09 | Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings |
| CPSC-CH-E1003-09.1 | Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings |
| Health Canada - Part B: C- O2 | Determination of Total Lead in Paints and Applied Coatings |

MEDICAL

Medical Products:

Treatment Equipment





ASTM F1862 Standard Test Method for Resistance of Medical Face Masks to Penetration

by Synthetic Blood (Horizontal Projection of Fixed Volume at a Known

Velocity

EN 14683 Medical face masks – Requirements and test methods

(Only for: Method for determination of breathability (differential pressure)-

Annex C)

NON-METALLIC MINERALS AND PRODUCTS

Ceramics, Clay and Clay Products:

Ceramics

ASTM C1028 Standard Test Method for Determining the Static Coefficient of Friction of

Ceramic Tile and Other Like Surfaces by the Horizontal Dynamometer Pull-

Meter Method

ASTM C627 Standard Test Method for Evaluating Ceramic Floor Tile Installation

Systems Using the Robinson-Type Floor Tester

TEXTILES AND FIBROUS MATERIALS

Apparel and Other Finished Textile Products:

(Others (fire and flammability))

| 16 CFR Part 1610 | Standard for the flammability of clothing textiles – except Dry Cleaning |
|---------------------|---|
| 16 CFR Part 1615 | Standard for the flammability of children's sleepwear: Sizes 0 through 6X (FF-3-71) |
| 16 CFR Part 1616 | Standard for the flammability of children's sleepwear: Sizes 7 through 14 (FF 5-74) |
| 49 CFR Part 571.302 | Standard No. 302; Flammability of interior materials (FMVSS 302) |
| ASTM C1166 | Standard Test Method for Flame Propagation of Dense and Cellular Elastomeric Gaskets and Accessories. |
| ASTM D2859 | Standard Test Method for Ignition Characteristics of Finished Textile Floor Covering Materials |
| ASTM D6413 | Standard Test Method for Flame Resistance of Textiles (Vertical Test) |
| ASTM E1354 | Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter. |
| ASTM E162 | Standard Test Method for Surface Flammability of Materials Using a Radiant Heat Energy Source. |
| ASTM E648 | Standard Test Method for Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source. |
| ASTM E662 | Standard Test Method for Specific Optical Density of Smoke Generated by |



Solid Materials



ASTM F1506 Standard Performance Specification for Flame Resistant and Electric Arc

Rated Protective Clothing Worn by Workers Exposed to Flames and Electric

Except for: Article: 7.7 Arc Rating, Article: 7.6.2 Flammability after Dry

Cleaning (articles # are from 2020a edition)

ASTM F1891 Standard Specification for Arc and Flame Resistant Rainwear

Except: article 9.3; articles # are from 2019 edition

ASTM F1930 Evaluation of Flame Resistant Clothing for Protection Against Fire

Simulations Using an Instrumented Manikin

ASTM F2700 Standard Test Method for Unsteady-State Heat Transfer Evaluation of

Flame Resistant Materials for Clothing with Continuous Heating1

Bombardier SMP 800-C Toxic Gaz Generation

California Technical

Bulletin 117

CAN/CGSB 4.2 No. 78.1

CAN/ULC S109

CAN/ULC S668

Thermal Protective Performance of Material for Clothing Flame Tests of Flame Resistant Fabrics and Films

Standard for Liners Used for Secondary Containment of Aboveground

Requirements, Test Procedure and Apparatus for Testing the Flame

Retardance of Resilient Filling Materials Used in Upholstered Furniture

Flammable and Combustible Liquid Tanks. Except for secondary

containment liner class III

CPAI-84 Specification for Flame-Resistant Materials in Camping Tentage

DOT/FAA/AR-00/12 -Aircraft Materials Fire Test

Handbook

Chapter 1: Vertical Bunsen Burner Test for Cabin and Cargo Compartment Materials.

Chapter 2: 45-Degree Bunsen Burner Test for Cargo Compartment Liners and Waste Stowage Compartment Materials.

Chapter 3: Horizontal Bunsen Burner Test for Cabin, Cargo Compartment,

and Miscellaneous Materials.

Chapter 4: 60-Degree Bunsen Burner Test for Electric Wire. Chapter 5: Heat Release Rate Test for Cabin Materials.

Chapter 6: The Smoke Test for Cabin Materials.

FAR 25.853 (a)

Appendix F - Part I -Paragraph 4: Vertical Test

Paragraph 5: Horizontal Test

Paragraph 6 : Forty-Five Degree Test Paragraph 7 : Sixty Degree Test

FAR 25.853 (d) Appendix F Part IV -

Test Method to Determine the Heat Release Rate from Cabin Materials

Exposed to Radiant Heat.

ISO 13506-1 Protective clothing against heat and flame - Part 1: Test method for

complete garments -Measurement of transferred energy using an

instrumented manikin

ISO 13506-2 Protective clothing against heat and flame - Part 2: Skin burn injury

prediction - Calculation requirements and test cases

Protective clothing - Protection against heat and flame - Method of test for ISO 15025

limited flame spread

ISO 15025 Protective clothing - Protection against heat and flame - Method of test for

limited flame spread

Standard Method of Test for Critical Radiant Flux for Floor Covering **NFPA 253**

Systems Using a Radiant Heat Energy Source.

NFPA 701 Standard Methods of Fire Tests for Flame Propagation of Textiles and Films



Clothing

16 CFR Part 1500.53 Test methods for simulating use and abuse of toys and other articles

intended for use by children over 36 but not over 96 months of age - Torque

Test and Tension Test

ANSI/ISEA 107 High Visibility Safety Apparel and Accessories

ASTM B117 Standard Practice for Operating Salt Spray (Fog) Apparatus

ASTM D2810 Standard Test Method for pH of Leather

ASTM D4108 Test Method for Thermal Protective Performance of Materials for Clothing

by Open-Flame Method

ASTM E1164 Standard Practice for Obtaining Spectrometric Data for Object-Color

Evaluation

ASTM E809 Standard Practice for Measuring Photometric Characteristics of

Retroreflectors

ASTM E810 Standard Test Method for Coefficient of Retroreflection of Retroreflective

Sheeting Utilizing the Coplanar Geometry1

ASTM F2992 / F2992M Standard Test Method for Measuring Cut Resistance of Materials Used in

Protective Clothing with Tomodynamometer (TDM-100) Test Equipment

ASTM F903 Standard Test Method for Resistance of Materials Use in Protective

Clothing to Penetration by Liquids

CAN/CGSB 155.1 Firefighters' Protective Clothing for Protection against Heat and Flame

Except for: Water absorption

CAN/CGSB 155.20 Workwear for protection against hydrocarbon flash fire and optionally steam

and hot fluids. Except for : Drycleaning (AATCC 158 method only)

CAN/CGSB 155.22 Fireline workwear for wildland firefighters

Except for: polarizing microscope

CAN/CGSB 4.2 No. 27.5 Flame Resistance - 45° Angle Test - One Second Flame Impingement

CSA Z96 High Visibility Safety Apparel

EN 388 Gants de protection contre les risques mécaniques

EN 471 High Visibility Warning Clothing

ISO 17492 Clothing for protection against heat and flame - Determination of heat

transmission on exposure to both flame and radiant heat

ISO 20471 Vêtements à haute visibilité -- Méthodes d'essai et exigences (seulement

pour : Détermination de la couleur)

ISO 3759 Textiles-Préparation, marquage et mesurage des éprouvettes d'étoffe et

des vêtements dans les essais de détermination de la variation des

dimensions

NFPA 1971 Standard on Protective Clothing for Structural Fire Fighting

Only for: Articles: 8.2 Flame resistance test 1 and test four (8.5), 8.6 Heat and thermal shrinkage, 8.10 Thermal protective performance, 8.11 Thread Melting, 8.12 Tear, 8.13 Burst Strength, 8.14 Seam Breaking Strength, 8.21

Cut, 8.24 Cleaning shrinkage, 8.25 Water absorption, 8.26 Water

penetration, 8.27 Liquid penetration, 8.29 Corrosion resistance test, 8.33 Total Heat Loss (THL), 8.41 Label durability and legality test 1, 8.45 Retroreflectivity and fluorescence test, 8.50 Breaking strength, 8.57 Resistance to High temperature blocking test (les # d'articles proviennent

de l'édition 2018, 8.71 Particulate Blocking Test.)





NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting

Only for: Articles: 8.6 Tear resistance, 8.7 Cleaning Shrinkage, 8.8 Seam Breaking Strength, 8.9 Thread Heat Resistance, 8.16 Retroreflectivity, 8.31 Label Durability and Legibility One(Article numbers are from 2016 edition)

NFPA 1999 Standard on Protective Clothing and Ensembles for Emergency Medical

Operations

Only for: Article 8.28 Moisture Vapor Transmission Rate Test (article # is

from 2018 edition)

NFPA 2112 Standard on Flame-Resistant Garments for Protection of Industrial

Personnel against Flash Fire

Only for: Articles: 8.2 HTP (except 8.1.3), 8.3 Flame Resistance Test, 8.4 Heat and Thermal Shrinkage Resistance Test, 8.5 Manikin Test, 8.6 Thread Heat Resistance). (Article numbers are from 2018 edition)

Flame Resistance - Methenamine Tablet Test for Textile Floor Coverings

Floor coverings

16 CFR Part 1630 Standard for the surface flammability of carpets and rugs (FF1-70)
ASTM D1335 Standard Test Method for Tuft Bind of Pile Yarn Floor Coverings

CAN/CGSB 4.2 No. 27.6

CAN/CGSB 4.2 No. 77.1/ISO 4919

Carpets - Determination of Tuft Withdrawal Force

Mattresses

CAN/CGSB 4.2 No.27.7 Combustion Resistance of Mattresses - Cigarette Test

Tents

Refer to minor-heading: Window Coverings.

Textile Mill Products: (Including synthetic and natural fibres):

Aircraft Materials

FAR 25.853(a) Vertical and Horizontal Bunsen Burner Test for Cabin and Cargo

Compartment Materials

Fabrics

| AATCC 106 | Colorfastness to Water: Sea (as per CAN/CGSB 4.2 No.21) |
|-----------|---|
| AATCC 107 | Colorfastness to Water (as per CAN/CGSB 4.2 No.20) |
| AATCC 112 | Formaldehyde Release from Fabric, Determination of: Sealed Jar Method |
| | |

AATCC 116 Colorfastness to Crocking: Rotary Vertical Crockmeter Method





| AATCC 117 | Colorfastness to Heat: Dry (Excluding: Pressing) |
|------------|--|
| AATCC 118 | Oil Repellency: Hydrocarbon Resistance Test |
| AATCC 127 | Water Resistance: Hydrostatic Pressure Test |
| AATCC 132 | Colorfastness to Drycleaning (as per CAN/CGSB 4.2 No. 29.1) |
| AATCC 133 | Colorfastness to Heat: Hot Pressing |
| AATCC 135 | Dimensional Changes in Automatic Home Laundering of Woven or Knit Fabrics |
| AATCC 15 | Colorfastness to Perspiration (as per CAN/CGSB 4.2 No. 23) |
| AATCC 16 | Colorfastness to Light |
| AATCC 16.3 | Colorfastness to Light: Xénon Arc |
| AATCC 162 | Colorfastness to Water: Chlorinated Pool |
| AATCC 169 | Weather Resistance of Textiles: Xenon Lamp Exposure |
| AATCC 183 | Transmittance or Blocking of Erythemally Weighted Ultraviolet Radiation through Fabrics |
| AATCC 195 | Liquid Moisture Management Properties of Textile Fabrics |
| AATCC 22 | Water Repellency: Spray Test |
| AATCC 35 | Water Resistance: Rain Test |
| AATCC 42 | Water Resistance: Impact Penetration |
| AATCC 61 | Colorfastness to Laundering Home and Commercial: Accelerated (as per CAN/CGSB 4.2 No. 19.1) |
| AATCC 76 | Electrical Surface Resistivity of Fabrics |
| AATCC 79 | Absorbency of Textiles |
| AATCC 8 | Colorfastness to Crocking: AATCC Crockmeter Method (as per CAN/CGSB 4.2 No. 22) |
| AATCC 81 | pH of the Water-Extract from Wet Processed Textiles |
| AATCC 88C | Retention of Creases in Fabrics after Repeated Home Laundering |
| AATCC 96 | Dimensional Changes in Commercial Laundering of Woven and Knitted Fabrics Except Wool |
| ASTM D1388 | Standard Test Methods for Stiffness of Fabrics |
| ASTM D1424 | Standard Test Method for Tearing Strength of Fabrics by Falling-Pendulum Type (Elmendorf) Apparatus |
| ASTM D1683 | Test Method for Failure in Sewn Seams of Woven Fabrics(Discontinued 1999) (as per CAN/CGSB 4.2 No. 32.2) |
| ASTM D1776 | Standard Practice for Conditioning and Testing Textiles |
| ASTM D1777 | Standard Test Method for Thickness of Textile Materials |
| ASTM D2136 | Standard Test Method for Coated Fabrics - Low-Temperature Bend Test |
| ASTM D2261 | Standard Test Method for Tearing Strength of Fabrics by the Tongue (Single Rip) Procedure (Constant-Rate-of-Extension Tensile Testing Machine) |
| ASTM D2594 | Standard Test Method for Stretch Properties of Knitted Fabrics Having Low Power |
| ASTM D3393 | Standard Specification for Coated Fabrics Only for: Waterproofness |
| ASTM D3512 | Standard Test Method for Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Random Tumble Pilling Tester |
| ASTM D3775 | Standard Test Method for Warp (End) and Filling (Pick) Count of Woven Fabrics |





| ASTM D3776 | Standard Test Methods for Mass Per Unit Area (Weight) of Fabric |
|--------------------------------------|--|
| ASTM D3786 | Standard Test Methods for Hydraulic Bursting Strength of Textile Fabrics- Diaphragm Bursting Strength Tester Method |
| ASTM D3884 | Standard Guide for Abrasion Resistance of Textile Fabrics (Rotary Platform, Double-Head Method) |
| ASTM D3885 | Standard Test Method for Abrasion Resistance of Textile Fabrics (Flexing and Abrasion Method) |
| ASTM D3886 | Standard Test Method for Abrasion Resistance of Textile Fabrics (Inflated Diaphragm Method) |
| ASTM D3887 | Standard Specification for Tolerances for Knitted Fabrics (Mass, Fabric count, Bursting strength) |
| ASTM D3939 | Standard Test Method for Snagging Resistance of Fabrics (Mace) |
| ASTM D3940 | Test Method for Bursting Strength (Load) and Elongation of Sewn Seams of Knit or Woven Stretch Textile Fabrics |
| ASTM D4157 | Standard Test Method for Abrasion Resistance of Textile Fabrics (Oscillatory Cylinder Method) |
| ASTM D434 | Standard Test Method for Resistance to Slippage of Yarns in Woven Fabrics Using a Standard Seam |
| ASTM D4964 | Standard Test Method for Tension and Elongation of Elastic Fabrics (Constant-Rate-of-Extension Type Tensile Testing Machine) |
| ASTM D4966 | Standard Test Method for Abrasion Resistance of Textile Fabrics (Martindale Abrasion Tester Method)1 |
| ASTM D4970 | Standard Test Method for Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Martindale Tester |
| ASTM D5034 | Standard Test Method for Breaking Strength and Elongation of Textile Fabrics (Grab Test) |
| ASTM D5035 | Standard Test Method for Breaking Force and Elongation of Textile Fabrics (Strip Method) |
| ASTM D5587 | Standard Test Method for Tearing Strength of Fabrics by Trapezoid Procedure |
| ASTM D6797 | Standard Test Method for Bursting Strength of Fabrics Constant-Rate-of- Extension (CRE) Ball Burst Test |
| ASTM D737 | Standard Test Method for Air Permeability of Textile Fabrics |
| ASTM F1342 | Standard Test Method for Protective Clothing Material Resistance to Puncture |
| ASTM F1670 | Standard Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood |
| ASTM F1868 | Standard Test Method for Thermal and Evaporative Resistance of Clothing Materials Using a Sweating Hot Plate |
| CAN/CGSB 4.2 No. 11.1 | Bursting Strength - Diaphragm Pressure Test (as per ASTM D3786) |
| CAN/CGSB 4.2 No. 11.2 | Bursting Strength – Ball Burst Test |
| CAN/CGSB 4.2 No. 12.1 | Tearing Strength - Single-Rip Method (as per ASTM D2262) |
| CAN/CGSB 4.2 No. 12.2 | Tearing Strength - Trapezoid Method |
| CAN/CGSB 4.2 No. 12.3 | Tearing Strength - Elmendorf Ballistic Method (as per ASTM D1424) |
| CAN/CGSB 4.2 No. 15 | Non-Fibrous Material on Textiles |
| CAN/CGSB 4.2 No. 18.3/ISO 105-B02 | Textiles - Tests for Colourfastness - Part B02 : Colourfastness to Artificial Light: Xenon Arc Fading Lamp Test |
| CAN/CGSB 4.2 No. 19.1 | Colourfastness to Washing - Accelerated test - Launder-Ometer (as per AATCC 61) |
| | |



SCC S CCN

| CAN/CGSB 4.2 No. 2 | Conditioning Textile Materials for Testing |
|---|--|
| CAN/CGSB 4.2 No. 20 | Colourfastness to Water (as per AATCC 107) |
| CAN/CGSB 4.2 No. 21 | Colourfastness to Water (as per AATCC 107) Colourfastness to Sea Water (as per AATCC 106) |
| CAN/CGSB 4.2 No. 21 | Colourfastness to Sea Water (as per AATCC 100) Colourfastness to Rubbing (Crocking) (as per AATCC 8) |
| | |
| CAN/CGSB 4.2 No. 23 | Colourfastness to perspiration (as per AATCC 15) |
| CAN/CGSB 4.2 No. 24 | Colourfastness and Dimensional Change in Commercial Laundering (supersedes CGSB-4.2 N°24.2) |
| CAN/CGSB 4.2 No. 25.1 | Dimensional change in Wetting |
| CAN/CGSB 4.2 No. 26.2 | Textile Fabrics - Determination of Resistance to Surface Wetting (Spray Test) (as per AATCC 22) |
| CAN/CGSB 4.2 No. 26.3/ISO 811 | Textile Fabrics - Determination of Resistance to Water Penetration - Hydrostatic Pressure Test |
| CAN/CGSB 4.2 No. 26.5 | Water Resistance - High Pressure Penetration Test |
| CAN/CGSB 4.2 No. 27.1 | Flame Resistance - Vertical Burning Test |
| CAN/CGSB 4.2 No. 27.10 | Flame Resistance - Vertically Oriented Textile Fabric or Fabric Assembly Test |
| CAN/CGSB 4.2 No. 29.1 | Colourfastness to Dry Cleaning Solvent (as per AATCC 132) |
| CAN/CGSB 4.2 No. 30 | Dimensional Change in Dry-Cleaning |
| CAN/CGSB 4.2 No. 32.1 | Resistance of Woven Fabrics to Seam Slippage |
| CAN/CGSB 4.2 No. 32.2 | Breaking Strength of Seams in Woven Fabrics (as per ASTM D1683) |
| CAN/CGSB 4.2 No. 36 | Air Permeability (as per ASTM D737) |
| CAN/CGSB 4.2 No. 37 | Fabric Thickness |
| CAN/CGSB 4.2 No. 4.1/ISO 22198 | Measurement of Width of Pieces |
| | |
| CAN/CGSB 4.2 No. 45 | Textiles Fabrics - Determination of the Recovery from Creasing of a Horizontally Folded Specimen by Measuring the Angle-of-Recovery |
| CAN/CGSB 4.2 No. 45 CAN/CGSB 4.2 No. 49 | Horizontally Folded Specimen by Measuring the Angle-of-Recovery |
| | , |
| CAN/CGSB 4.2 No. 49 | Horizontally Folded Specimen by Measuring the Angle-of-Recovery Resistance of Materials to Water Vapour Diffusion Unit Mass of Fabrics |
| CAN/CGSB 4.2 No. 49 CAN/CGSB 4.2 No. 5.1 | Horizontally Folded Specimen by Measuring the Angle-of-Recovery Resistance of Materials to Water Vapour Diffusion Unit Mass of Fabrics Resistance to Pilling - Random Tumble Pilling Tester (as per ASTM D3512) |
| CAN/CGSB 4.2 No. 49 CAN/CGSB 4.2 No. 5.1 CAN/CGSB 4.2 No. 51.2 CAN/CGSB 4.2 No. 58 | Horizontally Folded Specimen by Measuring the Angle-of-Recovery Resistance of Materials to Water Vapour Diffusion Unit Mass of Fabrics Resistance to Pilling - Random Tumble Pilling Tester (as per ASTM D3512) Colourfastness and Dimensional Change in Domestic Laundering of Textiles Textiles - Woven Fabrics - Construction - Methods of Analysis - Part 2: |
| CAN/CGSB 4.2 No. 49 CAN/CGSB 4.2 No. 5.1 CAN/CGSB 4.2 No. 51.2 CAN/CGSB 4.2 No. 58 CAN/CGSB 4.2 No. 6/ISO | Horizontally Folded Specimen by Measuring the Angle-of-Recovery Resistance of Materials to Water Vapour Diffusion Unit Mass of Fabrics Resistance to Pilling - Random Tumble Pilling Tester (as per ASTM D3512) Colourfastness and Dimensional Change in Domestic Laundering of Textiles |
| CAN/CGSB 4.2 No. 49 CAN/CGSB 4.2 No. 5.1 CAN/CGSB 4.2 No. 51.2 CAN/CGSB 4.2 No. 58 CAN/CGSB 4.2 No. 6/ISO 7211/2 | Horizontally Folded Specimen by Measuring the Angle-of-Recovery Resistance of Materials to Water Vapour Diffusion Unit Mass of Fabrics Resistance to Pilling - Random Tumble Pilling Tester (as per ASTM D3512) Colourfastness and Dimensional Change in Domestic Laundering of Textiles Textiles - Woven Fabrics - Construction - Methods of Analysis - Part 2: Determination of Number of Threads per Unit Length |
| CAN/CGSB 4.2 No. 49 CAN/CGSB 4.2 No. 5.1 CAN/CGSB 4.2 No. 51.2 CAN/CGSB 4.2 No. 58 CAN/CGSB 4.2 No. 6/ISO 7211/2 CAN/CGSB 4.2 No. 60 CAN/CGSB 4.2 No. 69 | Horizontally Folded Specimen by Measuring the Angle-of-Recovery Resistance of Materials to Water Vapour Diffusion Unit Mass of Fabrics Resistance to Pilling - Random Tumble Pilling Tester (as per ASTM D3512) Colourfastness and Dimensional Change in Domestic Laundering of Textiles Textiles - Woven Fabrics - Construction - Methods of Analysis - Part 2: Determination of Number of Threads per Unit Length Textiles - Résistance aux accrocs - Essai à la masse Weather Resistance - Xenon Arc Radiation |
| CAN/CGSB 4.2 No. 49 CAN/CGSB 4.2 No. 5.1 CAN/CGSB 4.2 No. 51.2 CAN/CGSB 4.2 No. 58 CAN/CGSB 4.2 No. 6/ISO 7211/2 CAN/CGSB 4.2 No. 60 CAN/CGSB 4.2 No. 69 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 7 | Horizontally Folded Specimen by Measuring the Angle-of-Recovery Resistance of Materials to Water Vapour Diffusion Unit Mass of Fabrics Resistance to Pilling - Random Tumble Pilling Tester (as per ASTM D3512) Colourfastness and Dimensional Change in Domestic Laundering of Textiles Textiles - Woven Fabrics - Construction - Methods of Analysis - Part 2: Determination of Number of Threads per Unit Length Textiles - Résistance aux accrocs - Essai à la masse |
| CAN/CGSB 4.2 No. 49 CAN/CGSB 4.2 No. 5.1 CAN/CGSB 4.2 No. 51.2 CAN/CGSB 4.2 No. 58 CAN/CGSB 4.2 No. 6/ISO 7211/2 CAN/CGSB 4.2 No. 60 CAN/CGSB 4.2 No. 69 CAN/CGSB 4.2 No. 7 | Horizontally Folded Specimen by Measuring the Angle-of-Recovery Resistance of Materials to Water Vapour Diffusion Unit Mass of Fabrics Resistance to Pilling - Random Tumble Pilling Tester (as per ASTM D3512) Colourfastness and Dimensional Change in Domestic Laundering of Textiles Textiles - Woven Fabrics - Construction - Methods of Analysis - Part 2: Determination of Number of Threads per Unit Length Textiles - Résistance aux accrocs - Essai à la masse Weather Resistance - Xenon Arc Radiation Knitted Fabric Count - Wales and Courses per Centimetre Textiles - Determination of pH of the Aqueous Extract Breaking Strength of Fabrics - Strip Method - Constant-Time-to-Break |
| CAN/CGSB 4.2 No. 49 CAN/CGSB 4.2 No. 5.1 CAN/CGSB 4.2 No. 51.2 CAN/CGSB 4.2 No. 58 CAN/CGSB 4.2 No. 6/ISO 7211/2 CAN/CGSB 4.2 No. 60 CAN/CGSB 4.2 No. 69 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 74/ISO 3071 | Horizontally Folded Specimen by Measuring the Angle-of-Recovery Resistance of Materials to Water Vapour Diffusion Unit Mass of Fabrics Resistance to Pilling - Random Tumble Pilling Tester (as per ASTM D3512) Colourfastness and Dimensional Change in Domestic Laundering of Textiles Textiles - Woven Fabrics - Construction - Methods of Analysis - Part 2: Determination of Number of Threads per Unit Length Textiles - Résistance aux accrocs - Essai à la masse Weather Resistance - Xenon Arc Radiation Knitted Fabric Count - Wales and Courses per Centimetre Textiles - Determination of pH of the Aqueous Extract Breaking Strength of Fabrics - Strip Method - Constant-Time-to-Break Principle (as per ASTM D5035) Breaking Strength of Fabrics - Grab Method - Constant-Time-to-Break |
| CAN/CGSB 4.2 No. 49 CAN/CGSB 4.2 No. 5.1 CAN/CGSB 4.2 No. 51.2 CAN/CGSB 4.2 No. 58 CAN/CGSB 4.2 No. 6/ISO 7211/2 CAN/CGSB 4.2 No. 60 CAN/CGSB 4.2 No. 69 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 9.1 | Horizontally Folded Specimen by Measuring the Angle-of-Recovery Resistance of Materials to Water Vapour Diffusion Unit Mass of Fabrics Resistance to Pilling - Random Tumble Pilling Tester (as per ASTM D3512) Colourfastness and Dimensional Change in Domestic Laundering of Textiles Textiles - Woven Fabrics - Construction - Methods of Analysis - Part 2: Determination of Number of Threads per Unit Length Textiles - Résistance aux accrocs - Essai à la masse Weather Resistance - Xenon Arc Radiation Knitted Fabric Count - Wales and Courses per Centimetre Textiles - Determination of pH of the Aqueous Extract Breaking Strength of Fabrics - Strip Method - Constant-Time-to-Break Principle (as per ASTM D5035) |
| CAN/CGSB 4.2 No. 49 CAN/CGSB 4.2 No. 5.1 CAN/CGSB 4.2 No. 51.2 CAN/CGSB 4.2 No. 58 CAN/CGSB 4.2 No. 6/ISO 7211/2 CAN/CGSB 4.2 No. 60 CAN/CGSB 4.2 No. 69 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 9.1 CAN/CGSB 4.2 No. 9.1 | Horizontally Folded Specimen by Measuring the Angle-of-Recovery Resistance of Materials to Water Vapour Diffusion Unit Mass of Fabrics Resistance to Pilling - Random Tumble Pilling Tester (as per ASTM D3512) Colourfastness and Dimensional Change in Domestic Laundering of Textiles Textiles - Woven Fabrics - Construction - Methods of Analysis - Part 2: Determination of Number of Threads per Unit Length Textiles - Résistance aux accrocs - Essai à la masse Weather Resistance - Xenon Arc Radiation Knitted Fabric Count - Wales and Courses per Centimetre Textiles - Determination of pH of the Aqueous Extract Breaking Strength of Fabrics - Strip Method - Constant-Time-to-Break Principle (as per ASTM D5035) Breaking Strength of Fabrics - Grab Method - Constant-Time-to-Break Principle (as per ASTM D5034) Resistance to Pilling, Rotating Box Method |
| CAN/CGSB 4.2 No. 49 CAN/CGSB 4.2 No. 5.1 CAN/CGSB 4.2 No. 51.2 CAN/CGSB 4.2 No. 58 CAN/CGSB 4.2 No. 6/ISO 7211/2 CAN/CGSB 4.2 No. 60 CAN/CGSB 4.2 No. 69 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 9.1 CAN/CGSB 4.2 No. 9.1 CAN/CGSB 4.2 No. 9.2 CAN/CGSB 4.2 No. 51.1 | Horizontally Folded Specimen by Measuring the Angle-of-Recovery Resistance of Materials to Water Vapour Diffusion Unit Mass of Fabrics Resistance to Pilling - Random Tumble Pilling Tester (as per ASTM D3512) Colourfastness and Dimensional Change in Domestic Laundering of Textiles Textiles - Woven Fabrics - Construction - Methods of Analysis - Part 2: Determination of Number of Threads per Unit Length Textiles - Résistance aux accrocs - Essai à la masse Weather Resistance - Xenon Arc Radiation Knitted Fabric Count - Wales and Courses per Centimetre Textiles - Determination of pH of the Aqueous Extract Breaking Strength of Fabrics - Strip Method - Constant-Time-to-Break Principle (as per ASTM D5035) Breaking Strength of Fabrics - Grab Method - Constant-Time-to-Break Principle (as per ASTM D5034) Resistance to Pilling, Rotating Box Method Determination of Maximum Safe Ironing Temperature |
| CAN/CGSB 4.2 No. 49 CAN/CGSB 4.2 No. 5.1 CAN/CGSB 4.2 No. 51.2 CAN/CGSB 4.2 No. 58 CAN/CGSB 4.2 No. 6/ISO 7211/2 CAN/CGSB 4.2 No. 60 CAN/CGSB 4.2 No. 69 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 9.1 CAN/CGSB 4.2 No. 9.1 CAN/CGSB 4.2 No. 9.1 CAN/CGSB 4.2 No. 9.2 CAN/CGSB-4.2 No. 51.1 CAN/CGSB-4.2 No. 57 FTMS 191A No 4108 | Horizontally Folded Specimen by Measuring the Angle-of-Recovery Resistance of Materials to Water Vapour Diffusion Unit Mass of Fabrics Resistance to Pilling - Random Tumble Pilling Tester (as per ASTM D3512) Colourfastness and Dimensional Change in Domestic Laundering of Textiles Textiles - Woven Fabrics - Construction - Methods of Analysis - Part 2: Determination of Number of Threads per Unit Length Textiles - Résistance aux accrocs - Essai à la masse Weather Resistance - Xenon Arc Radiation Knitted Fabric Count - Wales and Courses per Centimetre Textiles - Determination of pH of the Aqueous Extract Breaking Strength of Fabrics - Strip Method - Constant-Time-to-Break Principle (as per ASTM D5035) Breaking Strength of Fabrics - Grab Method - Constant-Time-to-Break Principle (as per ASTM D5034) Resistance to Pilling, Rotating Box Method Determination of Maximum Safe Ironing Temperature Strength and elongation, breaking; textile webbing, tape and braided items |
| CAN/CGSB 4.2 No. 49 CAN/CGSB 4.2 No. 5.1 CAN/CGSB 4.2 No. 51.2 CAN/CGSB 4.2 No. 58 CAN/CGSB 4.2 No. 6/ISO 7211/2 CAN/CGSB 4.2 No. 60 CAN/CGSB 4.2 No. 69 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 9.1 CAN/CGSB 4.2 No. 9.1 CAN/CGSB 4.2 No. 9.1 CAN/CGSB 4.2 No. 51.1 CAN/CGSB-4.2 No. 57 FTMS 191A No 4108 FTMS 191A No 5512 | Horizontally Folded Specimen by Measuring the Angle-of-Recovery Resistance of Materials to Water Vapour Diffusion Unit Mass of Fabrics Resistance to Pilling - Random Tumble Pilling Tester (as per ASTM D3512) Colourfastness and Dimensional Change in Domestic Laundering of Textiles Textiles - Woven Fabrics - Construction - Methods of Analysis - Part 2: Determination of Number of Threads per Unit Length Textiles - Résistance aux accrocs - Essai à la masse Weather Resistance - Xenon Arc Radiation Knitted Fabric Count - Wales and Courses per Centimetre Textiles - Determination of pH of the Aqueous Extract Breaking Strength of Fabrics - Strip Method - Constant-Time-to-Break Principle (as per ASTM D5035) Breaking Strength of Fabrics - Grab Method - Constant-Time-to-Break Principle (as per ASTM D5034) Resistance to Pilling, Rotating Box Method Determination of Maximum Safe Ironing Temperature Strength and elongation, breaking; textile webbing, tape and braided items Water resistance of coated cloth: High Range, Hydrostatic Pressure Method |
| CAN/CGSB 4.2 No. 49 CAN/CGSB 4.2 No. 5.1 CAN/CGSB 4.2 No. 51.2 CAN/CGSB 4.2 No. 58 CAN/CGSB 4.2 No. 6/ISO 7211/2 CAN/CGSB 4.2 No. 60 CAN/CGSB 4.2 No. 69 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 7 CAN/CGSB 4.2 No. 9.1 CAN/CGSB 4.2 No. 9.1 CAN/CGSB 4.2 No. 9.1 CAN/CGSB 4.2 No. 9.2 CAN/CGSB-4.2 No. 51.1 CAN/CGSB-4.2 No. 57 FTMS 191A No 4108 | Horizontally Folded Specimen by Measuring the Angle-of-Recovery Resistance of Materials to Water Vapour Diffusion Unit Mass of Fabrics Resistance to Pilling - Random Tumble Pilling Tester (as per ASTM D3512) Colourfastness and Dimensional Change in Domestic Laundering of Textiles Textiles - Woven Fabrics - Construction - Methods of Analysis - Part 2: Determination of Number of Threads per Unit Length Textiles - Résistance aux accrocs - Essai à la masse Weather Resistance - Xenon Arc Radiation Knitted Fabric Count - Wales and Courses per Centimetre Textiles - Determination of pH of the Aqueous Extract Breaking Strength of Fabrics - Strip Method - Constant-Time-to-Break Principle (as per ASTM D5035) Breaking Strength of Fabrics - Grab Method - Constant-Time-to-Break Principle (as per ASTM D5034) Resistance to Pilling, Rotating Box Method Determination of Maximum Safe Ironing Temperature Strength and elongation, breaking; textile webbing, tape and braided items Water resistance of coated cloth: High Range, Hydrostatic Pressure Method Water resistance of cloth: Water Permeability, Hydrostatic Pressure Method |





| ISO 105-B02 | Textiles-Tests for colour fastness-Part B02: Colour fastness to artificial light: Xenon arc fading lamp test |
|-------------|--|
| ISO 105-C06 | Textiles Tests for colour fastness Part C06: Colour fastness to domestic and commercial laundering |
| ISO 105-D01 | Textiles-Tests for colour fastness-Part D01: Colour fastness to drycleaning using perchloroethylene solvent |
| ISO 105-X12 | Textiles-Tests for colour fastness-Part X12: Colour fastness to rubbing |
| ISO 11092 | Textiles-Physiological effects-Measurement of thermal and water-vapour resistance under steady-state conditions (sweating guarded-hotplate test |
| ISO 12947-2 | Textiles Determination of the abrasion resistance of fabrics by the Martindale method Part 2: Determination of specimen breakdown |
| ISO 13934-1 | Textiles-Tensile properties of fabrics-Part 1: Determination of maximum force and elongation at maximum force using the strip method |
| ISO 13935-2 | Textiles - Seam tensile properties of fabrics and made-up textile articles -Part 2: Determination of maximum force to seam rupture using the grab method |
| ISO 13937-1 | Textiles Tear properties of fabrics Part 1: Determination of tear force using ballistic pendulum method (Elmendorf) |
| ISO 13937-2 | Textiles - Tear properties of fabrics - Part 2: Determination of tear force of trouser-shaped test specimens (Single tear method) |
| ISO 13938-1 | Textiles - Bursting properties of fabrics - Part 1: Hydraulic method for determination of bursting strength and bursting distension |
| ISO 13997 | Protective clothing-Mechanical properties-Determination of resistance to cutting by sharp objects |
| ISO 17493 | Clothing and equipment for protection against heat Test method for convective heat resistance using a hot air circulating oven |
| ISO 4920 | Textiles Determination of resistance to surface wetting (spray test) of fabrics |
| ISO 6330 | Textiles-Domestic washing and drying procedures for textile testing Except for: washing machine reference type C – pulsator type |
| ISO 7198 | Cardiovascular implants-Tubular vascular prostheses (Determination of water permeability) |
| ISO 811 | Textile fabrics-Determination of resistance to water penetration-Hydrostatic pressure test |
| ISO 9073-3 | Textiles-Test methods for nonwovens Partie 1: Détermination de la masse surfacique, Partie 2: Détermination de l'épaisseur, Part 3: Determination of tensile strength and elongation. Partie 4: Détermination de la résistance à la déchirure par la méthode du trapèze, Partie 5: Détermination de la résistance à la pénétration mécanique (méthode d'éclatement à la bille) et Partie 6: Absorption |

Fibres

ASTM D276 Standard Test Method for Identification of Fibers in Textiles
ASTM D7138 Standard Test Method to Determine Melting Temperature of Synthetic Fibers
CAN/CGSB 4.2 No.
48/ISO 137 Wool - Determination of Fibre Diameter - Projection Microscope Method
CAN/CGSB 4.2 No.14
Serie Quantitative Analysis of Fibre Mixtures

ETMC 1014 No 1524 Molting Doint of Synthotic Fiboro

FTMS 191A No 1534 Melting Point of Synthetic Fibers





Yarns

ASTM D2256 Standard Test Method for Tensile Properties of Yarns by the Single-Strand

Method

CAN/CGSB 4.2 No. 5.2 Linear Density of Yarn in SI Units

CAN/CGSB 4.2 No. 9.4 Breaking Strength of Yarns - Single Strand Method

Number of Scope Listings: 488

Notes:

ISO/IEC 17025:2017: General Requirements for the Competence of Testing and Calibration Laboratories

AATCC: American Association of Textile Chemists and Colorists

ASTM: American Society of Testing Methods **BNQ**: Bureau de normalisation du Québec

CAN: Canadian Test Method from the «Canadian General Standard Board»

CAN/CGSB: Canadian General Standard Board **CAN/ULC**: Canadian Underwriters Laboratory

CFR: Code Federal Regulation

CPAI: Canvas Products Association International

CSA: Canadian Standard Association

DOT/FAA/AR: Test method from the «Federal Aviation Administration»

FAR: Federal Aviation Regulation

EN: Test method from the «European Standard Committee»

EPA: Environmemental Protection Agency **FTMS:** Federal Test Method Standard **GRI:** Geosynthetic Research Institute

ICC-ES: International Code Council Evaluation Service

ISO: International Standard Organization

NF: Test method from the «Association française de normalisation»

NFPA: National Fire Protection Association

NQ: Test method from the «Bureau de normalisation du Québec»

PGI: PVC Geomembrane Institute **PSTC:** Pressure Sensitive Tape Council **SAE:** Society of Automobile Engineers

UL: Underwriters Laboratory

UPH: Test method from the «Upholstered Furniture Action Council»



This document forms part of the Certificate of Accreditation issued by the Standards Council of Canada (SCC). The original version is available in the Directory of Accredited Laboratories on the SCC website at www.scc.ca.

Elias Rafoul Vice-President, Accreditation Services Publication on: 2022-10-11