



TESTING AND CALIBRATION LABORATORY ACCREDITATION PROGRAM (LAP)

Scope of Accreditation

Accredited Laboratory No. 875

Legal Name of Accredited Laboratory: AGAT Laboratories Ltd.

Contact Name: Kakale Mpaphadzi

Address: 1046 Gorham Street
Thunder Bay, ON
P7B 5X5

Telephone: 647 948 6058

Fax: 905 501 0589

Website: www.agatlabs.com

Email: mpaphadzi@agatlabs.com

SCC File Number:	151083
Accreditation Standard(s):	ISO/IEC 17025:2017
Fields of Testing:	Chemical/Physical
Program Specialty Area:	Mineral Analysis
Initial Accreditation:	2018-07-02
Most Recent Accreditation:	2020-12-06
Accreditation Valid to:	2022-07-02

SCC Group Accreditation:

This laboratory is a part of a Group Accreditation with the following facilities in accordance with SCC's policy on Group Accreditation documented in the Accreditation Services Accreditation Program Overview.

- AGAT Laboratories Ltd, Mississauga, ON, Accredited Laboratory No. 665



The physical sample preparation involving accredited test methods as listed on the scope of accreditation may be performed at AGAT Laboratories Ltd. laboratory or at off-site sample preparation locations that are monitored regularly for quality control and quality assurance practices:

AGAT Laboratories Ltd.- 1045 Gorham St., Thunder Bay, ON P7B 5X5

AGAT Laboratories Ltd.- 150 Jaguar Dr., Timmins, ON P4R 0A8

AGAT Laboratories Ltd.- 35 General Aviation Road, Timmins, ON P4N 7C3

AGAT Laboratories Ltd. - 120 - 8600 Glenlyon Parkway, Burnaby, BC, V5J 0B6

METALLIC ORES AND PRODUCTS

Mineral Analysis Testing

Geotechnical Testing

Mineral Assaying

MIN - 12007	Soil Sieving, Screen Analysis and Particle Size Distribution of Mineralogical Samples
MIN - 12010	Crushing and Splitting of Mineralogical Samples - Mining Geochemistry Assaying Division - Branches
MIN- 221- 12006	Determination of Gold, Platinum and Palladium in Geological Samples by Lead Fusion Fire Assay with Inductively Coupled Plasma– Optical Emission Spectroscopy (ICP-OES) finish [Au, Pd, Pt]
MIN-12004	Determination of Gold in Geological Samples by Fire Assay Lead Collection Followed By Gravimetric
MIN-12019	Determination of Gold in Geological Samples by Lead Fusion Fire Assay and Atomic Absorption Spectroscopy
MIN-221-12012	Milling (HP1500) of Mineralogical Samples - Mining Geochemistry Assaying Division

Number of scope listings: 6

Notes:

ISO/IEC 17025:2017: General Requirements for the Competence of Testing and Calibration Laboratories

RG-MINERAL: SCC Requirements and Guidance for the Accreditation of Mineral Analysis Testing Laboratories

All the methods listed in this scope are subject laboratory In-house Test Methods.

This document forms part of the Certificate of Accreditation issued by the Standards Council of Canada (SCC). The original version is available in the Directory of Accredited Laboratories on the SCC website at www.scc.ca.



Standards Council of Canada
Conseil canadien des normes

Elias Rafoul
Vice President, Accreditation Services
Publication on: 2020-12-07