

## TESTING AND CALIBRATION LABORATORY ACCREDITATION PROGRAM (LAP)

### Scope of Accreditation

**Legal Name of Accredited Laboratory:** **Fruit d’Or**

Contact Name: Ludovic Brazeau

Address: 2760 avenue Vallée Nord,  
Plessisville (Québec) G6L 5P7

Telephone: 819-385-1126

Fax: 819-385-4439

Website: [www.fruit-dor.ca](http://www.fruit-dor.ca)

Email: [lbrazeau@fruit-dor.ca](mailto:lbrazeau@fruit-dor.ca)

<b>SCC File Number:</b>	151106
<b>Provider:</b>	BNQ-EL
<b>Provider File Number:</b>	56460-1
<b>Accreditation Standard(s):</b>	ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories
<b>Fields of Testing:</b>	Biological
<b>Program Specialty Area:</b>	Agriculture Inputs, Food, Animal Health and Plant Protection (AAAV)
<b>Initial Accreditation:</b>	2019-04-14
<b>Most Recent Accreditation:</b>	2022-05-13
<b>Accreditation Valid to:</b>	2027-04-14

*Remarque: La présente portée d'accréditation existe également en français, sous la forme d'un document distinct.*  
*Note: This scope of accreditation is also available in French as a separately issued document.*

## ANIMAL AND PLANTS (AGRICULTURE)

### Foods and Edible Products (Human and Animal Consumption):

AOAC 981.12 (modified)	pH of acidified foods
MA-LPT-13	Quantification of pesticides residues in food by LC-MSMS
MA-LPT-15	Quantification of pesticides residues in food by GC-MSMS
MA-LPT-19	Determination of degree Brix by refractometrie
MFHPB-18	Determination of the Aerobic Colony Counts in Foods
MFHPB-22	Enumeration of Yeasts and Moulds in foods
MFHPB-32	Enumeration of Yeast and Mould in Food Products and Food Ingredients Using 3M™ Petrifilm™ Yeast and Mold Count Plates
MFHPB-33	Enumeration of Total Aerobic Bacteria in Food Products and Food Ingredients Using 3M™ Petrifilm™ Aerobic Count Plates
MFHBP-34	Enumeration of <i>Escherichia coli</i> and Coliforms in Food Products and Food Ingredients Using 3M™ Petrifilm™ <i>E. coli</i> Count Plates
MFLP-09	Enumeration of Enterobacteriaceae species in Food and Environmental Samples Using 3M™ Petrifilm™ Enterobacteriaceae Count Plates
MFLP-33	Detection of <i>Listeria monocytogenes</i> in Foods by the VIDAS LMO 2™ Method
MFLP-49	Detection of <i>Salmonella</i> spp. in food products and environmental surfaces by the VIDAS® UP <i>Salmonella</i> (SPT) method
MFLP-59	Detection of <i>Listeria</i> spp. In food products and environmental surface samples with VIDAS® UP <i>Listeria</i> (LPT)
MFLP-66	Determination of Water Activity Using the Aqualab Instrument
MFLP-98	Detection of <i>E. coli</i> O157:H7 in Food Products by using the VIDAS® UP <i>E. coli</i> O157 (including H7) Method

Number of Scope Listings: 15

**Notes:**

**ISO/IEC 17025:2017:** General requirements for the competence of testing and calibration laboratories

**MA-LPT-XX:** Refer to internal methods.

This document forms part of the Certificate of Accreditation issued by the Standards Council of Canada (SCC). The original version is available in the Directory of Accredited Laboratories on the SCC website at [www.scc.ca](http://www.scc.ca).

---

Elias Rafoul  
Vice-President, Accreditation Services  
Publication on: 2023-04-18