

TESTING AND CALIBRATION LABORATORY ACCREDITATION PROGRAM (LAP)

Scope of Accreditation

Accredited Laboratory No. 904

Legal Name of Accredited Laboratory: **ALS Patagonia S.A**

Location Name or Operating as (if applicable): Santiago, Chile

Contact Name: Heriberto Muñoz

Address: Hermanos Carrera Pinto 159, Parque Industrial
Los Libertadores, Colina, Santiago, Chile

Telephone: +56 2 26546128 / +56 2 26546100

Website: www.alsglobal.com

Email: heriberto.munoz@alsglobal.com
francisca.arevalo@alsglobal.com

SCC File Number:	151191
Accreditation Standard(s):	ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories
Fields of Testing:	Chemical/Physical
Program Specialty Area:	Mineral Analysis
Initial Accreditation:	2021-04-28
Most Recent Accreditation:	2021-04-28
Accreditation Valid to:	2025-04-28

*Remarque: La présente portée d'accréditation existe également en français, sous la forme d'un document distinct.
Note: This scope of accreditation is also available in French as a separately issued document.*

METALLIC ORES AND PRODUCTS

Mineral Analysis Testing

Mineral Assaying

AA62	Ag, Cu, Pb and Zn - Determination of Ores and High Grade Materials Using AAS Following a Four Acid Digestion
Au-GRA	Determination of Au by Lead Collection Fire Assay and Gravimetric Finish
Au-AA	Determination of Au by Lead Collection Fire Assay and Atomic Absorption Spectrometry

Number of Scope Listings: 03

Notes:

ISO/IEC 17025:2017: General Requirements for the Competence of Testing and Calibration Laboratories

RG-Mineral: SCC Requirements and Guidance for the Accreditation of Mineral Analysis Testing Laboratories.

AAS: Atomic Absorption Spectrometry

All methods listed above are in-house.

This document forms part of the Certificate of Accreditation issued by the Standards Council of Canada (SCC). The original version is available in the Directory of Accredited Laboratories on the SCC website at www.scc.ca.

Elias Rafoul
 Vice-President, Accreditation Services
 Publication on: 2021-05-14