



SCOPE OF ACCREDITATION

CANWEST DHI SERVICES
CENTRAL MILK TESTING LABORATORY - Edmonton, Alberta
O.S. Longman Laboratory Building 6909-116 Street NW
Edmonton, AB
T6H 4P2

Accredited Laboratory No. 124
(Conforms with requirements of ISO/IEC 17025:2017)

CONTACT: John Komarnicki
TEL: +1 780 434 3440 Ext. 3
FAX: +1 780 437 8015
EMAIL: J.Komarnicki@telus.net
URL: <http://www.canwestdhi.com/labcertificates.htm>

CLIENTS SERVED: Alberta Dairy Industry

FIELDS OF TESTING: Biological, Chemical/Physical

PROGRAM SPECIALTY AREA: Agriculture Inputs, Food, Animal Health and Plant Protection (PSA-AFAP)

INITIAL ACCREDITATION DATE: 1993-10-05

SCOPE ISSUED ON: 2019-05-15

ACCREDITATION VALID TO: 2021-10-05

ANIMAL AND PLANTS (AGRICULTURE)

Foods and Edible Products: (Human and Animal Consumption)



(Dairy Produce - Milk)

APHA Standard Methods
for the Examination of
Dairy Products - 17th
Edition 2004 Page 310

Charm 3SL3 Test and Charm Trio Test , Beta Lactams, Sulfa
Drugs, Tetracycline Drugs

APHA Standard Methods
for the Examination of
Dairy Products - 17th
Edition 2004 Page 154 &
174

Petrifilm Aerobic Plate Count Method (Class A1)

APHA Standard Methods
for the Examination of
Dairy Products - 17th
Edition 2004 Page 449

Determination of Total Solids in Milk, Oven-Dried Method

APHA Standard Methods
for the Examination of
Dairy Products - 17th
Edition 2004 Page 377

Water, Added to Milk, Thermistor Cryoscope, (Class A1)

APHA Standard Methods
for the Examination of
Dairy Products - 17th
Edition 2004 Page 489

Protein Kjeldahl Block Digester Method Milk (Class A)

ISO 13366-2
(IDF 148-2)
(Foss System FC500)

Milk - Enumeration of somatic cells – Part 2: Guidance on the
operation of fluoro-opto-electronic counters using Foss System
FC500: 2005

ISO 9622
(IDF 141)
(Foss System 6000)

Milk and liquid milk products- Guidelines for the application of
mid-infrared spectrometry

SOP QA85
(Foss System Bactoscan FC)

Determination of total bacteria counts of raw milk samples,
using Bactoscan FC

SOP QA-07

Mojonnier Method, Milk and Cream (Class A) modified Standard
Methods for the Examination of Dairy Products - 17th Edition
2004 Page 427



SOP QA-84	Determination of Ash in Milk and Milk Products modified Standard Methods for the Examination of Dairy Products - 17 th Edition 2004 Page 380
SOP QA-91	Bacillus Stearothermophilus Disk Assay (BSDA): Generic (Class A1 for penicillin only; Class B for other beta lactams and other Inhibitors) modified Standard Methods for the Examination of Dairy Products - 17th Edition 2004 Page 294

Notes:

AOAC: Official Methods of Analysis of the Association of Official Analytical Chemists (USA),
15th Edition, 1990

ISO/IEC 17025: 2017: General Requirements for the Competence of Testing and Calibration
Laboratories

APHA: American Public Health Association

SOP: Internal test method

Elias Rafoul, Vice President
Accreditation Services

Date: 2019-05-15

Number of Scope Listings: 11
SCC 1003-15/154
Partner File #0
Partner: None