

# TESTING AND CALIBRATION LABORATORY ACCREDITATION PROGRAM (LAP)

# **Scope of Accreditation**

Legal Name of Accredited Laboratory: Bureau Veritas

Location Name or Operating as (if applicable): Edmonton Laboratory

Contact Name: Lalaine Mabanta

Address: 6744-50 Street NW

Edmonton, AB T6B 3M9

Telephone: 780 577-7151

Fax: 780 378-8699

Website: www.bvna.com

Email: Edmonton-QA-CA@bureauveritas.com

SCC File Number:	15229
Accreditation Standard(s):	ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories
Fields of Testing:	Biological Chemical/Physical
Program Specialty Area:	Environmental Testing (ET)
Initial Accreditation:	1995-03-06
Most Recent Accreditation:	2023-05-31
Accreditation Valid to:	2027-03-06

#### **SCC Group Accreditation:**

This laboratory is a part of a Group Accreditation with the following facilities in accordance with SCC's policy on Group Accreditation documented in the Accreditation Services Accreditation Program Overview. 151039 - Bureau Veritas - Unit D, 675 Berry St., Winnipeg, MB, R3H 1A7, Accredited Laboratory No. 837





151043 - Bureau Veritas - 2021 - 41st Avenue, N.E., Calgary, AB, T2E 6P2, Accredited Laboratory No. 836

Note: Environmental Testing except for Adsorbable Organic Halides, Total Sulfide by Titration, and Air Matrices are performed at:

Bureau Veritas Edmonton Environmental 4326 76 Avenue NW Edmonton, AB T6B 2H8

## **ENVIRONMENTAL AND OCCUPATIONAL HEALTH AND SAFETY**

#### **Environmental:**

#### Air

PTC SOP – 00128	VOCs by Thermal Desorption Diffusive Tube [EPA 325B] 1, 3-Butadiene Benzene Ethylbenzene m,p-Xylenes o-Xylene Toluene
PTC SOP – 00148	Monitoring NO2 in the Atmosphere by using All- Season Passive Samplers [AWMA 91st PAPER 98-TP44.03] Nitrite
PTC SOP – 00149	Monitoring SO2 in the Atmosphere by using All-Season Passive Samplers [H. Tang, B. Brassard, R. Brassard and E. Peake, "A New Passive Sampling System for Monitoring SO2 in the Atmosphere" Proceedings, Clean Air '96: Second North American Conference and Exhibition, Nov. 19-22, 1996 Orlando USA] Sulfite
PTC SOP – 00150	Monitoring H2S in the Atmosphere by using All-Season Passive Samplers [Hongmao Tang "A New All-Season Passive Sampling System for Monitoring H2S in Air" The Scientific World, (2002)2, 155-168] Hydrogen Sulfide
PTC SOP – 00157	Monitoring NH3 in the Atm by using the Ogawa Passive Samplers [ASTM D6919] Ammonia





PTC SOP – 00197	Monitoring Ozone in the Atmosphere by using
	Maxxam All-Season Passive Samplers [H. Tang
	and T. Lau "A New All-Season Passive Sampling
	System for Monitoring Ozone in Air",
	Environmental Monitoring and Assessment, 65 (1-
	2) 129-137, 2000.]
	Ozone

#### Air Filter

PTC SOP – 00151	Mass Determination of Particulate Matter (PM 2.5
	and 10) Gravimetric [Modified from US EPA,
	Quality Assurance Guidance Document, 2.12:
	Monitoring PM2.5 in Ambient Air Using
	Designated Reference or Class I Equivalent
	Methods]
	PM10
	PM2.5
PTC SOP - 00180	Dustfall, Total and Fixed, Gravimetric [Modified
	from AMD, Appendix 4-6]
	Dustfall, Fixed
	Dustfall, Total

Water (Inorganic)

(morganic)	
AB SOP-00016	Chemical Oxygen Demand (Total and Dissolved)
	[Modified From SM 5220 D, Colorimetric]
	COD
AB SOP-00061	Total Suspended Solids, Total Fixed Solids, and
	Total Volatile Solids [Modified from SM 2540 D
	and E, Gravimetric]
	Fixed Solids
	Total Suspended Solids
	Volatile Suspended Solids
EENVSOP-00159	pH Analysis in Bioassay Lab
	[Modified From SM 4500-H+ B, pH Meter]
	pH
PTC SOP-00173	Sulphide - Total, Titration Method [SM 4500-S2 F]



Water (Organic)

(0.9)	
PTC SOP-00056	Adsorbable Organic Halogens [AE128.1]
	Colormetric Titration
AB SOP-00040	Analysis of Extractable Hydrocarbons in Water and Soils by GCFID [Modified from Static Sheen Test (EPA Method 1617), Visual] Sheen

Water (Toxicology)

EENVSOP-00154  48-Hr Acute Static Bioassay using Daphnia magna [EPS 1/Rm/11 and EPS 1/RM/14, Acute Lethality (Survival)] Daphnia LC50 (48 h) Daphnia Single Concentration (48h)  EENVSOP-00155  Ceriodaphnia dubia Reproduction Inhibition and 7-Day Survival Chronic [EPS 1/RM/21, Survival and Reproduction Inhibition] Ceriodaphnia dubia (7d)  EENVSOP-00156  Fathead Minnow Larval Growth and Survival 7 Day Chronic Test [EPS 1/RM/22, Survival and Growth Inhibition] Fathead Minnow (7d)  EENVSOP-00160  96-Hour Acute Static Bioassay using Rainbow Trout [EPS 1/RM/9 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) Trout Single Concentration (96h)  EENVSOP-00190  96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) — pH Stabilization Trout Single Concentration (96h) — pH Stabilization	r (Toxicology)	
Lethality (Survival)] Daphnia LC50 (48 h) Daphnia Single Concentration (48h)  EENVSOP-00155  Ceriodaphnia dubia Reproduction Inhibition and 7-Day Survival Chronic [EPS 1/RM/21, Survival and Reproduction Inhibition] Ceriodaphnia dubia (7d)  EENVSOP-00156  Fathead Minnow Larval Growth and Survival 7 Day Chronic Test [EPS 1/RM/22, Survival and Growth Inhibition] Fathead Minnow (7d)  EENVSOP-00160  96-Hour Acute Static Bioassay using Rainbow Trout [EPS 1/RM/9 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) Trout Single Concentration (96h)  EENVSOP-00190  96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH	EENVSOP-00154	48-Hr Acute Static Bioassay using Daphnia
Daphnia LC50 (48 h) Daphnia Single Concentration (48h)  EENVSOP-00155  Ceriodaphnia dubia Reproduction Inhibition and 7- Day Survival Chronic [EPS 1/RM/21, Survival and Reproduction Inhibition] Ceriodaphnia dubia (7d)  EENVSOP-00156  Fathead Minnow Larval Growth and Survival 7 Day Chronic Test [EPS 1/RM/22, Survival and Growth Inhibition] Fathead Minnow (7d)  EENVSOP-00160  96-Hour Acute Static Bioassay using Rainbow Trout [EPS 1/RM/9 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) Trout Single Concentration (96h)  EENVSOP-00190  96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH		magna [EPS 1/Rm/11 and EPS 1/RM/14, Acute
Daphnia Single Concentration (48h)  EENVSOP-00155  Ceriodaphnia dubia Reproduction Inhibition and 7-Day Survival Chronic [EPS 1/RM/21, Survival and Reproduction Inhibition] Ceriodaphnia dubia (7d)  EENVSOP-00156  Fathead Minnow Larval Growth and Survival 7 Day Chronic Test [EPS 1/RM/22, Survival and Growth Inhibition] Fathead Minnow (7d)  EENVSOP-00160  96-Hour Acute Static Bioassay using Rainbow Trout [EPS 1/RM/9 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) Trout Single Concentration (96h)  EENVSOP-00190  96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH		Lethality (Survival)]
EENVSOP-00155  Ceriodaphnia dubia Reproduction Inhibition and 7- Day Survival Chronic [EPS 1/RM/21, Survival and Reproduction Inhibition] Ceriodaphnia dubia (7d)  EENVSOP-00156  Fathead Minnow Larval Growth and Survival 7 Day Chronic Test [EPS 1/RM/22, Survival and Growth Inhibition] Fathead Minnow (7d)  EENVSOP-00160  96-Hour Acute Static Bioassay using Rainbow Trout [EPS 1/RM/9 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) Trout Single Concentration (96h)  EENVSOP-00190  96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH		Daphnia LC50 (48 h)
Day Survival Chronic [EPS 1/RM/21, Survival and Reproduction Inhibition] Ceriodaphnia dubia (7d)  EENVSOP-00156  Fathead Minnow Larval Growth and Survival 7 Day Chronic Test [EPS 1/RM/22, Survival and Growth Inhibition] Fathead Minnow (7d)  EENVSOP-00160  96-Hour Acute Static Bioassay using Rainbow Trout [EPS 1/RM/9 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) Trout Single Concentration (96h)  EENVSOP-00190  96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH		Daphnia Single Concentration (48h)
Reproduction Inhibition] Ceriodaphnia dubia (7d)  EENVSOP-00156  Fathead Minnow Larval Growth and Survival 7 Day Chronic Test [EPS 1/RM/22, Survival and Growth Inhibition] Fathead Minnow (7d)  EENVSOP-00160  96-Hour Acute Static Bioassay using Rainbow Trout [EPS 1/RM/9 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) Trout Single Concentration (96h)  EENVSOP-00190  96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH	EENVSOP-00155	Ceriodaphnia dubia Reproduction Inhibition and 7-
Ceriodaphnia dubia (7d)  EENVSOP-00156  Fathead Minnow Larval Growth and Survival 7 Day Chronic Test [EPS 1/RM/22, Survival and Growth Inhibition] Fathead Minnow (7d)  EENVSOP-00160  96-Hour Acute Static Bioassay using Rainbow Trout [EPS 1/RM/9 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) Trout Single Concentration (96h)  EENVSOP-00190  96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH		Day Survival Chronic [EPS 1/RM/21, Survival and
EENVSOP-00156  Fathead Minnow Larval Growth and Survival 7 Day Chronic Test [EPS 1/RM/22, Survival and Growth Inhibition] Fathead Minnow (7d)  EENVSOP-00160  96-Hour Acute Static Bioassay using Rainbow Trout [EPS 1/RM/9 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) Trout Single Concentration (96h)  EENVSOP-00190  96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH		Reproduction Inhibition]
Day Chronic Test [EPS 1/RM/22, Survival and Growth Inhibition] Fathead Minnow (7d)  EENVSOP-00160  96-Hour Acute Static Bioassay using Rainbow Trout [EPS 1/RM/9 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) Trout Single Concentration (96h)  EENVSOP-00190  96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH		Ceriodaphnia dubia (7d)
Growth Inhibition] Fathead Minnow (7d)  EENVSOP-00160  96-Hour Acute Static Bioassay using Rainbow Trout [EPS 1/RM/9 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) Trout Single Concentration (96h)  EENVSOP-00190  96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH	EENVSOP-00156	Fathead Minnow Larval Growth and Survival 7
Fathead Minnow (7d)  EENVSOP-00160  96-Hour Acute Static Bioassay using Rainbow Trout [EPS 1/RM/9 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) Trout Single Concentration (96h)  EENVSOP-00190  96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH		Day Chronic Test [EPS 1/RM/22, Survival and
EENVSOP-00160  96-Hour Acute Static Bioassay using Rainbow Trout [EPS 1/RM/9 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) Trout Single Concentration (96h)  EENVSOP-00190  96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH		Growth Inhibition]
Trout [EPS 1/RM/9 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) Trout Single Concentration (96h)  EENVSOP-00190  96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH		Fathead Minnow (7d)
Lethality (Survival)] Trout LC50 (96 h) Trout Single Concentration (96h)  EENVSOP-00190  96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH	EENVSOP-00160	96-Hour Acute Static Bioassay using Rainbow
Trout LC50 (96 h) Trout Single Concentration (96h)  EENVSOP-00190  96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH		Trout [EPS 1/RM/9 and EPS 1/RM/13, Acute
Trout Single Concentration (96h)  EENVSOP-00190  96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH		Lethality (Survival)]
96-Hour Acute Static Bioassay using Rainbow Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH		Trout LC50 (96 h)
Trout with pH Stabilization [EPS 1/RM/50 and EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH		Trout Single Concentration (96h)
EPS 1/RM/13, Acute Lethality (Survival)] Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH	EENVSOP-00190	96-Hour Acute Static Bioassay using Rainbow
Trout LC50 (96 h) – pH Stabilization Trout Single Concentration (96h) – pH		Trout with pH Stabilization [EPS 1/RM/50 and
Trout Single Concentration (96h) – pH		EPS 1/RM/13, Acute Lethality (Survival)]
		Trout LC50 (96 h) – pH Stabilization
Stabilization		Trout Single Concentration (96h) – pH
		Stabilization

# NON-METALLIC MINERALS AND PRODUCTS

<u>Petroleum Refinery Products (including asphalt materials, petrochemicals, fuels and lubricants):</u>





#### **Fuels and Lubricants**

and Lubricants	
PTC SOP-00010	Determination of Water in Lubricating Oil by the
	Visual Crackle Test
	[Fitch, J. C., The Lubrication Field Test and
	Inspection Guide, Noria Publishing, Booklet, 2000]
PTC SOP-00011	Additives, Wear Metals and Contaminants in
	Lubricating Oils by ICPOES
	[ASTM D5185]
PTC SOP-00012	Kinematic Viscosity of Lubricating Oils
	[ASTM D7279]
PTC SOP-00013	Oxidation, Nitration, Sulphation and Soot of
	Engine oils by FTIR
	[ASTM D7418]
PTC SOP-00014	Determination of Fuel Dilution for In-Service
	Engine Oils by GC
	[ASTM D7593]
PTC SOP-00017	Base Number of Lubricating Oils by
	Potentiometric Titration
	[ASTM D4739]
PTC SOP-00018	Water Content in Lubricating Oils by Coulometric
	KF Titration
	[ASTM D6304]
PTC SOP-00020	ISO Particle Count of Lubricating Oils Using an
	Optical Particle Counter
	[ISO 11500:2008]
PTC SOP-00029	Analysis of Hydrocarbon Condensates by Heated
	Flash
	[GPA 2286 and 2261]
PTC SOP-00030	Analysis of C4 Components in Condensate
	[Modified GPA 2177]
PTC SOP-00031	Calibration and Analysis of Trace Sulfur
	Compounds in Petroleum Products
	[ASTM D-5504 Modified]
PTC SOP-00033	Calibration and Analysis of Trace Sulfur
	Compounds in Petroleum Products
	[Modified ASTM D5623]
PTC SOP-00036	Hydrocarbon C30 Analysis by Gas
	Chromatography
	[ASTM D2887/CAN/CGSB 3.0, No.14.3]
PTC SOP-00037	Density of Light Hydrocarbons (condensate) by
	Digital Densitometer
	[ASTM D4052/ ASTM D5002]





PTC SOP-00038	Trace Methanol by Gas Chromatography
	[UOP 569 (modified)]
PTC SOP-00039	Boiling Range Distribution by ASTM D7900
PTC SOP-00044	Analysis of LPG/NGL to C15+ (Extended)
	[GPA 2186]
PTC SOP-00045	Ponau Analysis
	[CAN/CGSB 3.0 No. 14.3 and ASTM D6729]
PTC SOP-00048	Hydrocarbon C100 Analysis by Gas
	Chromatography
	[ASTM D6352/ASTM D7169]
PTC SOP-00049	Component Analysis of Glycols, Amines, and
	Sulfinols by GC
	[UOP 523 modified]
PTC SOP-00050	Total Organic Halogens and Organic Chlorides
	[modified ASTM D4929]
PTC SOP-00051	Boiling Range Distribution of Petroleum Fractions
	by Gas Chromatography
	[ASTM D2887]
PTC SOP-00052	High Pressure Density
	[ASTM D4052/5002]
PTC SOP-00055	Boiling Range Distribution by ASTM D6352
PTC SOP-00058	Molecular Weight by Freezing Point Depression
	[Cryette Instrument Manual]
PTC SOP-00062	Analysis of Hydrocarbon Gas
	[GPA 2286]
PTC SOP-00067	Measurement of Viscosity by Cannon - Fenske
	Opaque Viscometer
	[ASTM D445]
PTC SOP-00068	Pour Point Analysis of Petroleum Products
	[ASTM D97; D5853]
PTC SOP-00071	Distillation of Petroleum Products at Atmospheric
	Pressure
	[ASTM D86]
PTC SOP-00072	Reid Vapor Pressure of Petroleum Products
	[ASTM D323A]
PTC SOP-00082	Flash-Point by Pensky-Martens Closed Cup
	Tester
DT0 000 0000	[ASTM D93]
PTC SOP-00083	Detection of Copper Corrosion from Petroleum
	Products by the Copper Strip
	[ASTM D130/ASTM D1838]





DTO COD COCC	Two to the state of the
PTC SOP-00084	Water and Sediment in Crude by the Centrifuge
	Method (Laboratory Procedure)
	[ASTM D4007; ASTM D1796; ASTM D2709]
PTC SOP-00089	Aniline Point of Petroleum Products
	[ASTM D611]
PTC SOP-00091	Electrical Conductivity of Aviation and Distillate
	Fuels
	[ASTM D2624]
PTC SOP-00092	Free Water and Particulate Contamination in
	Distillate Fuels (Visual Inspection Procedures)
	[ASTM D4176]
PTC SOP-00093	Filterability of Diesel Fuels by Low Temperature
	Flow Test (LTFT)
	[ASTM D4539]
PTC SOP-00097	Determination of Bitumen, Water, Solids by Dean
	Stark Method
	[Alberta Research Council Oil Sands Analytical
	Method Manual, Chapter 1, Method 1.00]
PTC SOP-00099	Density and Relative Density of Liquids by Digital
	Density Meter
	[ASTM D4052]
PTC SOP-00100	Density and Relative Density of Crude Oils by
	Digital Density Analyzer
	[ASTM D5002]
PTC SOP-00103	Total Acid Number of Petroleum Products by
	Potentiometric Titration
	[ASTM D664]
PTC SOP-00105	Water in Petroleum Products by Coulometric Karl
	Fischer Titration
	[ASTM D4928/ASTM D6304]
PTC SOP-00107	Standard Test Method for Determination of
	Carbon Residue (Micro Method) [ASTM D4530]
PTC SOP-00111	Total Nitrogen Sulphur in Hydrocarbons by boat-
	inlet Antek [ASTM D5453-S, ASTM D5762 – N2,
	ASTM D4629 – Trace Nitrogen]
PTC SOP-00115	Sediment in Oil by Membrane Filtration [ASTM
	D4807]
PTC SOP-00116	Sulfur in Petroleum Products by Energy-
	Dispersive X-Ray Fluorescence Spectroscopy
	[ASTM D4294]
PTC SOP-00120	Cetane Number of Diesel Fuel Oil [ASTM D613]
PTC SOP-00120	Heat of Combustion of Liquid Hydrocarbon Fuels
F 10 30F-00121	by Bomb Calorimeter [ASTM D240]
	by Bollio Galorinieter [ASTIVI D240]





PTC SOP-00122	Lubricity of Diesel Fuels by High Frequency
PTC SOP-00122	
DTC SOD 00426	Reciprocating Rig [ASTM D6079]
PTC SOP-00126	Acid Number by Color-Indicator Titration [ASTM
DTO COD 00475	D974]
PTC SOP-00175	Ash Content [ASTM D482]
PTC SOP-00204	High Temperature Stability of Distillate Fuels [ASTM D6468]
PTC SOP-00206	Metals Analysis in Organics by ICPOES [ASTM D5708/ASTM D5185/ASTM D4951]: Silver (Ag), Aluminum (Al), Arsenic (As), Boron (B), Barium (Ba), Beryllium (Be), Calcium (Ca), Cadmium (Cd), Cobalt (Co), Chromium (Cr), Copper (Cu), Iron (Fe), Lithium (Li), Potassium (K), Magnesium (Mg), Manganese (Mn), Molybdenum (Mo), Sodium (Na), Nickel (Ni), Phosphorus (P), Lead (Pb), Selenium (Se), Silicon (Si), Tin (Sn), Strontium (Sr), Titanium (Ti),
	Vanadium (V), Zinc (Zn)
PTC SOP-00209	Trace Hydrocarbon Analysis by GC [ASTM D5442]  Methane, Ethane, Propone, Isobutane, n-Butane, Isopentane, n-pentane, methylcyclopentane, benzene, cyclohexane, methylcyclohexane, toluene, ethylbenzene, meta and para-xylene, ortho-xylene, trimethylbenzene, hexanes (C6), heptanes (C7), octanes (C8), nonanes (C9), decanes (C10), undecanes (C11), dodecanes (C12), tridecanes (C13), tetradecanes (C14), pentadecanes (C15), hexadecanes (C16), heptadecanes (C17), octadecanes (C18), nonadecanes (C19), eicosanes (C20), heneicosanes (C21), docosanes (C22), triacosanes (C23), tetracosanes (C24), pentacosanes (C25), hexacosanes (C26), heptacosanes (C27), octacosanes (C28), nonacosanes (C29), triacontanes plus (C30+)
PTC SOP-00211	Light End Analysis in Stabilized Hydrocarbon
	Liquids [Modified ASTM D2887]
PTC SOP-00218	Boiling Range distribution by ASTM D7169
PTC SOP-00241	Carbon, Hydrogen, Nitrogen and Sulphur Analysis [ASTM D5373/ ASTM D3176 / ASTM D4239]
PTC SOP-00242	Proximate Analysis of Coal and Coke [ASTM D7582]





PTC SOP-00250	Preparation of Coal Samples and Determination of Moisture in Coal [ASTM D2013/D2013M and ASTM D3302/D3302M]
PTC SOP-00254	Heating Value of Coal and Coke by Bomb Calorimeter [ASTM D5865]
PTC SOP-00267	Viscosity by Stabinger [ASTM D7042]
PTC SOP-00275	Particle Size Distribution by Beckman Coulter Laser Analyzer
PTC SOP-00279	Total Mercury in Coal and Coal Combustion Residues [ASTM D6722]

## Other (specify):

Number of Scope Listings: 82

## Notes:

ISO/IEC 17025: 2017: General Requirements for the Competence of Testing and Calibration

Laboratories

**ASTM:** American Society for Testing and Materials

NIOASH: The National Institute for Occupational Safety and Health

**CCME:** Canadian Council of Ministers of the Environment

**EPA:** Environment Protection Agency **AEC:** Alberta Environmental Centre **GPA:** Gas Producers Association

This document forms part of the Certificate of Accreditation issued by the Standards Council of Canada (SCC). The original version is available in the Directory of Accredited Laboratories on the SCC website at <a href="https://www.scc.ca">www.scc.ca</a>.

Elias Rafoul Vice-President, Accreditation Services

Publication on: 2023-12-08

