

## TESTING AND CALIBRATION LABORATORY ACCREDITATION PROGRAM (LAP)

### Scope of Accreditation

Accredited Laboratory No. 633

**Legal Name of Accredited Laboratory:** **Government of Newfoundland & Labrador, Animal Health Division  
ANIMAL HEALTH LABORATORY**

Contact Name: Amanda Fitzpatrick

Address: 308 Brookfield Road, P.O. Box 7400  
St. John's, NL  
A1E 3Y5

Telephone: 709 729 6879

Fax: 709 729 0055

Website: [www.faa.gov.nl.ca](http://www.faa.gov.nl.ca)

Email: [amandafitzpatrick@gov.nl.ca](mailto:amandafitzpatrick@gov.nl.ca)

|                                   |  |
|-----------------------------------|--|
| <b>SCC File Number:</b>           | 15775  |
| <b>Accreditation Standard(s):</b> | ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories |
| <b>Fields of Testing:</b>         | Biological<br>Chemical/Physical  |
| <b>Program Specialty Area:</b>    | Agriculture Inputs, Food, Animal Health and Plant Protection                                       |
| <b>Initial Accreditation:</b>     | 2008-04-22   |
| <b>Most Recent Accreditation:</b> | 2021-11-02   |
| <b>Accreditation Valid to:</b>    | 2024-04-22   |

## ANIMAL AND PLANTS (AGRICULTURE)

### Foods and Edible Products (Human and Animal Consumption):

#### Meat and Edible Meat Offal

#### Eggs and Fish

|          |   |
|----------|---|
| MFHPB-20 | Isolation and identification of Salmonella from foods and Environmental Samples |
|----------|---|

### Unprocessed Milk:

#### Chemical Tests

|                          |   |
|--------------------------|---|
| Charm Trio               | Charm Trio Test for Beta-lactams, Sulfa Drugs, and Tetracyclines in Raw Commingled Cow Milk   |
| ISO 13366-2/IDF 148-2    | Milk-Enumeration of somatic cells Part2: guidance on the operation of fluoro-opto-electronic counters   |
| ISO 9622:2013(E) IDF 141 | Whole Milk and liquid milk products- Guidelines for the application of mid-infrared spectrometry (fat, protein, lactose and freezing point  |
| SMEDP 12.021             | <i>Bacillus stearothermophilus</i> Disc Assay (BSDA): Generic (Class A1 for penicillin only; Class B for other beta lactams and inhibitors) (Detection of Antibiotic/Drug Residues in Milk and Dairy Products, Chapter 2, 12.021) |
| SMEDP 15.032             | Water, Added to Milk, Thermistor Cryoscope (Class A1) (Chemical and Physical Methods, Chapter 15, 15.032)   |

#### Microbiological Tests

|  |  |
|--|--|
| Based on Bactoscan FC Type 73711 Operator's Manual Foss Analytical | Enumeration of Bacteria in Raw Milk Using Bactoscan FC |
|--|--|

## MEDICAL

### Veterinary:

|         |  |
|---------|--|
| MFLP-75 | Procedure for the Isolation of Salmonella species by the modified semi-solid Rappaport Vassiliadis (MSRV) method |
|---------|--|

Number of Scope Listings: 8

### Notes:

**ISO/IEC 17025:2017:** General Requirements for the Competence of Testing and Calibration Laboratories

**MFHPB:** Microbiological Analysis of Foods Health Products and Food Branch, Health Canada Compendium of Analytical Methods



**MFLP:** Microbiological Analysis of Foods Lab Procedures, Health Canada Compendium of Analytical Methods

**SMEDP:** Standard Methods for the Examination of Dairy Products

This document forms part of the Certificate of Accreditation issued by the Standards Council of Canada (SCC). The original version is available in the Directory of Accredited Laboratories on the SCC website at [www.scc.ca](http://www.scc.ca).

---

Elias Rafoul  
Vice-President, Accreditation Services  
Publication on: 2021-11-04