



GOOD LABORATORY PRACTICE (GLP) PROGRAM

AREAS OF RECOGNITION

Recognized Facility No. 675

Legal Name of Recognized Facility: Charles River Laboratories

Contact Name: Josée Ann Dulude

Address: 445 Boul. Armand-Frappier
Laval, QC H7V 4B3

Telephone: +1 450 973 2240 ext. 1311

Fax: +1 450 973 2259

Website: <https://www.criver.com>

Email: Josee-Ann.Dulude@crl.com

Test sites include: 475 Boul. Armand-Frappier, Laval QC

GLP recognition includes the following locations: 445 Boul. Armand-Frappier, Laval QC location; 475 Boul. Armand-Frappier, Laval QC location.

SCC File Number:	15842
Recognition Criteria:	Complies with requirements of the OECD Principles of Good Laboratory Practice (GLP), 1998
Initial Recognition	2010-05-12
Most recent Recognition	2020-05-15
Recognition Valid to:	2022-05-12
Type of Facility	<ul style="list-style-type: none"> • Test Facility • Test Site
Fields of Compliance:	<ul style="list-style-type: none"> • Pharmaceutical products • Industrial Chemicals
Areas of Expertise:	<ul style="list-style-type: none"> • Toxicity testing • Analytical and clinical chemistry testing • Other studies ADME; Bioanalytical; Chemical; Immunology; Safety Pharmacology; Pharmaco/Toxicokinetics, Irradiation, Pathology, Statistics



Standards Council of Canada
Conseil canadien des normes

This document forms part of the Certificate of Recognition issued by the Standards Council of Canada (SCC). The original version is available in the Directory of Accredited Bodies on the SCC website at www.scc.ca.

Elias Rafoul
Vice-President, Accreditation Services
Publication on: 2020-05-20