

METALLIC ORES AND PRODUCTS

Mineral Analysis Testing

Mineral Assaying

| | |
|---------------------|--|
| QOP AA-Au | Procedure for the analysis of Gold and/or Silver by Fire Assay with AA or Gravimetric finish |
| QOP AquaGeo | Multi-Element Analysis Using Aqua Regia Extraction and Inductively Coupled Plasma Atomic Emission Spectrometry for Ag, Co, Cu, Ni, Pb, Zn |
| QOP PGE-OES | Analysis of Gold, Platinum, and Palladium (PGE) using Fire Assay and Inductively Coupled Plasma Optical Emission Spectrometry |
| QOP Sodium Peroxide | Multi-Element Analysis using Sodium Peroxide Extraction and Inductively Coupled Plasma Atomic Emission Spectrometry for Co, Cu, Ni, Pb, Zn |

Number of Scope Listings: 4

Notes:

ISO/IEC 17025:2017: General Requirements for the Competence of Testing and Calibration Laboratories

RG-MINERAL: SCC Requirements and Guidance for the Accreditation of Mineral Analysis Testing Laboratories

This document forms part of the Certificate of Accreditation issued by the Standards Council of Canada (SCC). The original version is available in the Directory of Accredited Laboratories on the SCC website at www.scc.ca.

Elias Rafoul
 Vice-President, Accreditation Services
 Publication on: 2023-01-24